

集計・分析
(2020年)

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%): 部位別、性別

大分県 2020年

A. 上皮内がんを除く

部位	罹患数		部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
	ICD-10		男		女		男		女		男		女		男		女	
	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1	男	女	総数*1
全部位	5,052	3,934	8,986	100.0	100.0	100.0	947.1	666.3	799.6	404.0	314.1	349.9	285.8	238.2	256.4	33.4	25.5	29.1
口腔・咽頭	155	77	232	3.1	2.0	2.6	29.1	13.0	20.6	15.8	6.1	10.7	11.9	4.6	8.0	1.4	0.5	0.9
食道	186	28	214	3.7	0.7	2.4	34.9	4.7	19.0	15.8	2.0	8.3	11.3	1.4	6.0	1.5	0.2	0.8
胃	675	354	1,029	13.4	9.0	11.5	126.5	60.0	91.6	48.1	18.9	31.9	32.5	13.0	21.8	3.9	1.5	2.6
大腸(結腸・直腸)	673	579	1,252	13.3	14.7	13.9	126.2	98.1	111.4	57.9	39.0	47.6	41.5	28.4	34.4	5.0	3.2	4.1
結腸	424	403	827	8.4	10.2	9.2	79.5	68.3	73.6	34.7	25.6	29.7	24.4	18.3	21.1	3.0	2.1	2.5
直腸	249	176	425	4.9	4.5	4.7	46.7	29.8	37.8	23.2	13.4	17.9	17.1	10.1	13.3	2.1	1.1	1.6
肝および肝内胆管	268	121	389	5.3	3.1	4.3	50.2	20.5	34.6	20.0	5.2	11.9	13.7	3.5	8.2	1.6	0.4	1.0
胆のう・胆管	111	124	235	2.2	3.2	2.6	20.8	21.0	20.9	6.9	4.3	5.5	4.4	2.8	3.5	0.5	0.3	0.4
C25	222	210	432	4.4	5.3	4.8	41.6	35.6	38.4	16.9	11.9	14.1	11.7	8.5	9.9	1.3	1.0	1.2
C32	49	4	53	1.0	0.1	0.6	9.2	0.7	4.7	3.6	0.4	1.9	2.4	0.4	1.3	0.3	0.0	0.2
C33-C34	786	401	1,187	15.6	10.2	13.2	147.4	67.9	105.6	58.4	23.0	38.8	39.7	16.2	26.8	4.8	1.9	3.3
C43-C44	128	128	256	2.5	3.3	2.8	24.0	21.7	22.8	9.9	6.2	7.8	7.2	4.6	5.8	0.7	0.5	0.6
C50	4	784	788	0.1	19.9	8.8	0.7	132.8	70.1	0.3	85.3	44.4	0.2	65.7	34.0	0.0	7.1	3.7
C53-C55	-	250	250	-	6.4	2.8	-	42.3	-	-	32.7	-	-	25.9	-	-	2.7	-
C53	-	95	95	-	2.4	1.1	-	16.1	-	-	14.2	-	-	11.5	-	-	1.1	-
C54	-	152	152	-	3.9	1.7	-	25.7	-	-	18.4	-	-	14.3	-	-	1.6	-
C56	-	98	98	-	2.5	1.1	-	16.6	-	-	13.0	-	-	10.6	-	-	1.0	-
C61	842	-	842	16.7	-	9.4	157.9	-	-	59.3	-	-	40.0	-	-	4.9	-	-
C67	159	54	213	3.1	1.4	2.4	29.8	9.1	19.0	11.8	2.0	6.5	8.3	1.4	4.5	1.0	0.1	0.6
C64-C66 C68	215	86	301	4.3	2.2	3.3	40.3	14.6	26.8	19.3	5.4	11.8	13.9	3.8	8.5	1.7	0.4	1.0
C70-C72	33	26	59	0.7	0.7	0.7	6.2	4.4	5.2	3.7	2.6	3.1	3.3	2.8	0.3	0.2	0.2	0.2
C73	57	138	195	1.1	3.5	2.2	10.7	23.4	17.4	8.1	19.1	13.7	6.7	15.5	11.1	0.7	1.5	1.1
C81-C85 C96	221	156	377	4.4	4.0	4.2	41.4	26.4	33.5	18.9	10.9	14.5	13.8	8.0	10.7	1.5	0.8	1.2
C88-C90	35	42	77	0.7	1.1	0.9	6.6	7.1	6.9	3.1	2.4	2.7	2.1	1.7	1.9	0.3	0.2	0.2
C91-C95	84	90	174	1.7	2.3	1.9	15.7	15.2	15.5	9.5	8.2	8.8	7.9	7.0	7.4	0.7	0.6	0.7

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%): 部位別、性別

大分県 2020年

B. 上皮内がんを含む

部位	罹患数		部位割合				粗罹患率				年齢調整罹患率				累積罹患率(0-74歳)			
	I CD-10		男		女		男		女		男		女		男		女	
	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	5,478	4,484	9,962	100.0	100.0	100.0	1.027	0.759	0.886	440.6	397.9	838.5	311.8	305.3	617.1	36.5	31.8	68.3
食道	210	33	243	3.8	0.7	2.4	39.4	5.6	21.6	17.9	2.5	9.5	12.7	1.7	6.8	1.7	0.2	0.9
大腸(結腸・直腸)*2	811	655	1,466	14.8	14.6	14.7	152.0	110.9	130.4	71.3	45.5	57.3	51.5	33.2	41.7	6.3	3.8	5.0
結腸*2	510	463	973	9.3	10.3	9.8	95.6	78.4	86.6	43.1	30.7	36.4	30.8	22.0	26.1	3.7	2.5	3.1
直腸*2	301	192	493	5.5	4.3	4.9	56.4	32.5	43.9	28.2	14.8	21.0	20.7	11.1	15.6	2.6	1.3	1.9
肺	801	426	1,227	14.6	9.5	12.3	150.2	72.1	109.2	60.1	25.1	40.7	40.9	17.7	28.2	5.0	2.1	3.5
皮膚	159	156	315	2.9	3.5	3.2	29.8	26.4	28.0	11.6	7.7	9.4	8.2	5.6	6.8	0.8	0.6	0.7
乳房	4	896	900	0.1	20.0	9.0	0.7	151.8	80.1	0.3	100.6	52.2	0.2	77.8	40.2	0.0	8.4	4.3
子宮	-	488	488	-	10.9	4.9	-	82.7	-	-	85.9	-	-	69.7	-	-	6.3	-
子宮頸部	-	333	333	-	7.4	3.3	-	56.4	-	-	67.4	-	-	55.4	-	-	4.7	-
膀胱	331	91	422	6.0	2.0	4.2	62.1	15.4	37.5	25.4	4.2	13.8	17.7	2.9	9.7	2.2	0.4	1.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

大分県 2020年

性別	部位	I0D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	5,052	1	6	2	8	8	8	7	28	38	84	90	222	380	707	1,018	875	771	534	226	40	1	0
	口腔・咽頭	C00-C14	155	0	0	0	1	1	0	0	2	4	5	4	16	17	27	23	21	22	8	2	1	0	0
	食道	C15	186	0	0	0	0	0	0	0	0	1	2	2	16	24	24	44	31	21	15	5	1	0	0
	胃	C16	675	0	0	0	0	0	0	0	1	3	6	7	16	38	102	141	123	123	77	33	5	0	0
	大腸(結腸・直腸)	C18-C20	673	0	0	0	1	1	1	0	7	7	20	15	32	68	97	142	105	97	55	23	3	0	0
	結腸	C18	424	0	0	0	1	1	1	0	3	3	10	4	18	39	59	94	77	66	36	11	2	0	0
	直腸	C19-C20	249	0	0	0	0	0	0	0	4	4	10	11	14	29	38	48	28	31	19	12	1	0	0
	肝および肝内胆管	C22	268	0	0	0	0	0	0	0	1	0	5	2	14	16	39	53	45	44	32	16	1	0	0
	胆のう・胆管	C23-C24	111	0	0	0	0	0	0	0	0	0	0	1	1	3	13	23	19	27	17	5	2	0	0
	膵臓	C25	222	0	0	0	0	0	0	0	1	4	5	4	4	16	28	43	41	33	31	11	1	0	0
	喉頭	C32	49	0	0	0	0	0	0	0	0	0	0	0	1	4	8	14	12	5	5	0	0	0	0
	肺	C33-C34	786	0	0	0	0	1	1	1	1	2	6	10	30	50	109	172	153	132	77	34	7	1	0
	皮膚	C43-C44	128	0	0	0	1	0	1	0	1	0	4	4	4	9	14	13	18	23	23	11	2	0	0
	乳房	C50	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	0	0
	前立腺	C61	842	0	0	0	0	0	0	0	0	0	0	6	20	59	129	182	179	126	92	41	8	0	0
	膀胱	C67	159	0	0	0	0	0	0	0	0	0	3	5	5	11	21	37	19	25	17	10	6	0	0
	腎・尿管(膀胱除く)	C64-C66 C68	215	0	0	0	0	0	0	0	0	2	10	8	18	20	26	44	35	21	24	6	1	0	0
	脳・中枢神経系	C70-C72	33	0	2	0	0	1	0	0	0	2	0	4	0	4	2	5	2	6	3	2	0	0	0
	甲状腺	C73	57	0	0	1	0	3	0	1	3	0	9	2	6	8	8	7	5	3	1	0	0	0	0
	悪性リンパ腫	C81-C85 C96	221	0	1	0	1	0	0	1	3	3	4	6	16	17	26	36	30	31	31	14	1	0	0
	多発性骨髄腫	C88-C90	35	0	0	0	0	0	0	0	1	0	0	1	4	1	4	9	8	4	2	1	0	0	0
	白血病	C91-C95	84	0	2	1	1	1	0	3	0	1	5	4	4	6	12	9	13	11	8	2	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

大分県

2020年

性別	部位	10D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	3,934	3	5	3	2	12	21	31	63	102	173	159	202	315	395	542	530	483	470	288	120	15	0
	口腔・咽頭	C00-C14	77	0	0	0	0	1	0	1	1	1	4	3	4	4	8	12	17	4	10	5	1	1	0
	食道	C15	28	0	0	0	0	0	0	0	0	0	1	0	3	1	2	12	6	1	1	0	1	0	0
	胃	C16	354	0	0	0	0	0	0	0	3	1	6	4	11	15	34	58	51	62	59	34	12	4	0
	大腸 (結腸・直腸)	C18-C20	579	0	0	0	0	1	1	1	5	8	9	29	23	47	55	86	79	88	75	53	15	4	0
	結腸	C18	403	0	0	0	0	0	0	1	3	6	4	18	16	30	34	61	56	65	53	41	12	3	0
	直腸	C19-C20	176	0	0	0	0	1	1	0	2	2	5	11	7	17	21	25	23	23	22	12	3	1	0
	肝および肝内胆管	C22	121	0	0	0	0	0	0	0	0	0	1	0	3	3	11	18	17	20	26	12	10	0	0
	胆のう・胆管	C23-C24	124	0	0	0	0	0	0	0	0	0	0	0	1	3	5	17	13	24	32	23	6	0	0
	膵臓	C25	210	0	0	0	0	0	0	0	0	1	2	5	5	16	28	34	32	23	37	14	12	1	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	0	0	0	0	0	0
	肺	C33-C34	401	0	0	0	0	0	0	0	2	2	5	4	12	34	39	70	73	54	47	40	16	3	0
	皮膚	C43-C44	128	0	0	0	0	1	0	2	0	0	2	0	2	8	9	13	18	10	26	22	14	1	0
	乳房	C50	784	0	0	0	0	0	4	9	21	39	82	56	61	93	90	98	90	66	47	21	7	0	0
	子宮	C53-C55	250	0	0	0	0	0	6	4	10	22	28	19	32	27	26	23	20	12	10	9	1	1	0
	子宮頸部	C53	95	0	0	0	0	0	5	2	7	14	15	4	7	5	10	6	8	5	2	4	1	0	0
	子宮体部	C54	152	0	0	0	0	0	1	2	3	8	13	15	25	22	15	17	12	6	7	5	0	1	0
	卵巣	C56	98	0	0	1	0	0	3	3	3	9	8	12	9	10	10	8	4	4	8	5	1	0	0
	膀胱	C67	54	0	0	0	0	0	0	0	0	0	0	0	0	3	4	6	6	9	12	10	4	0	0
	腎・尿管 (膀胱除く)	C64-C66 C68	86	0	0	0	0	0	0	0	1	1	1	3	4	5	8	12	16	15	12	5	3	0	0
	脳・中枢神経系	C70-C72	26	0	1	1	0	0	0	0	1	1	1	0	0	5	3	2	5	3	1	2	0	0	0
	甲状腺	C73	138	0	0	0	2	3	3	9	8	9	10	10	8	10	19	16	13	15	0	2	1	0	0
	悪性リンパ腫	C81-C85 C96	156	0	0	0	0	1	1	1	1	3	3	5	4	17	11	19	26	29	20	7	8	0	0
	多発性骨髄腫	C88-C90	42	0	0	0	0	0	0	0	0	0	2	0	3	1	4	5	8	7	9	1	2	0	0
	白血病	C91-C95	90	1	1	1	0	1	2	1	5	2	1	3	5	2	7	10	12	10	18	8	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

A. 上皮内がんを除く

大分県 2020年

性別	部位	10D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
総数*2	全部位		8,986	4	11	5	10	20	27	38	91	140	257	249	424	695	1,102	1,560	1,405	1,254	1,004	514	160	16	0	
	C00-C06																									
	C00-C14																									
	口腔・咽頭		232	0	0	0	1	2	1	1	3	5	9	7	20	21	35	35	38	26	18	7	2	1	0	
	C15		214	0	0	0	0	0	0	0	0	1	3	2	19	25	26	56	37	22	16	5	2	0	0	
	C16		1,029	0	0	0	0	0	0	0	4	4	12	11	27	53	136	199	174	185	136	67	17	4	0	
	C18-C20		1,252	0	0	0	1	2	1	1	12	15	29	44	55	115	152	228	184	185	130	76	18	4	0	
	C18		827	0	0	0	1	1	0	1	6	9	14	22	34	69	93	155	133	131	89	52	14	3	0	
	C19-C20		425	0	0	0	0	1	1	0	6	6	15	22	21	46	59	73	51	54	41	24	4	1	0	
	C22		389	0	0	0	0	0	0	0	1	0	6	2	17	19	50	71	62	64	58	28	11	0	0	
	C23-C24		235	0	0	0	0	0	0	0	0	0	0	1	2	6	18	40	32	51	49	28	8	0	0	
	C25		432	0	0	0	0	0	0	0	1	5	7	9	9	32	56	77	73	56	68	25	13	1	0	
	C32		53	0	0	0	0	0	0	0	0	0	0	1	1	5	9	15	12	5	5	0	0	0	0	
	C33-C34		1,187	0	0	0	0	1	0	1	3	4	11	14	42	84	148	242	226	186	124	74	23	4	0	
	C43-C44		256	0	0	0	1	1	1	2	1	0	6	4	6	17	23	26	36	33	49	33	16	1	0	
	C50		788	0	0	0	0	0	4	9	21	39	82	56	61	93	92	98	90	67	48	21	7	0	0	
	C53-C55		250	0	0	0	0	0	6	4	10	22	28	19	32	27	26	23	20	12	10	9	1	1	0	
	C53		95	0	0	0	0	0	5	2	7	14	15	4	7	5	10	6	8	5	2	4	1	0	0	
	C54		152	0	0	0	0	0	1	2	3	8	13	15	25	22	15	17	12	6	7	5	0	1	0	
	C56		98	0	0	1	0	0	3	3	3	9	8	12	9	10	10	8	4	4	8	5	1	0	0	
	C61		842	0	0	0	0	0	0	0	0	0	0	6	20	59	129	182	179	126	92	41	8	0	0	
	C67		213	0	0	0	0	0	0	0	0	0	3	5	5	14	25	43	25	34	29	20	10	0	0	
	C64-C66 C68		301	0	0	0	0	0	0	0	1	3	11	11	22	25	34	56	51	36	36	11	4	0	0	
	C70-C72		59	0	3	1	0	1	0	0	1	3	1	4	0	9	5	7	7	9	4	4	0	0	0	
	C73		195	0	0	1	2	6	3	10	11	9	19	12	14	18	27	23	18	18	1	2	1	0	0	
	C81-C85 C96		377	0	1	0	1	1	1	2	4	6	7	11	20	34	37	55	56	60	51	21	9	0	0	
	C88-C90		77	0	0	0	0	0	0	0	1	0	2	1	7	7	2	8	14	16	11	2	2	0	0	
	C91-C95		174	1	3	2	1	1	5	1	6	7	5	5	9	8	19	19	25	21	26	10	0	0	0	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数：部位別、性別

B. 上皮内がんを含む

大分県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	5,478	1	6	2	8	8	8	7	31	40	97	108	246	407	767	1,114	941	832	575	237	42	1	0	
	食道	C15 D001	210	0	0	0	0	0	0	0	0	1	3	2	20	25	26	51	33	26	16	6	1	0	0	
	大腸(結腸・直腸)*2	C18-C20 D010-D012	811	0	0	0	1	1	1	1	0	8	7	29	23	40	79	125	176	118	112	63	24	4	0	0
	結腸*2	C18 D010	510	0	0	0	1	1	1	1	0	4	3	13	10	24	46	77	113	88	73	42	11	3	0	0
	直腸*2	C19-C20 D011-D012	301	0	0	0	0	0	0	0	0	4	4	16	13	16	33	48	63	30	39	21	13	1	0	0
	肺	C33-C34 D021-D022	801	0	0	0	0	0	1	0	1	1	3	7	11	33	50	109	178	155	133	77	34	7	1	0
	皮膚	C43-C44 D030-D049	159	0	0	0	1	0	1	0	1	0	4	4	4	10	15	18	25	29	32	13	2	0	0	
	乳房	C50 D05	4	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	1	0	0	0	0	
	膀胱	C67 D090	331	0	0	0	0	0	0	0	0	1	5	10	13	23	44	74	50	53	34	16	7	0	0	
	全部位	C00-C96 D00-D09	4,484	3	5	3	2	16	42	66	121	171	223	191	229	351	446	604	570	515	491	296	123	16	0	0
	食道	C15 D001	33	0	0	0	0	0	0	0	0	0	1	1	3	1	3	13	8	1	1	0	1	0	0	0
	大腸(結腸・直腸)*2	C18-C20 D010-D012	655	0	0	0	0	1	1	2	7	9	11	35	25	52	69	102	89	101	78	54	15	4	0	0
	結腸*2	C18 D010	463	0	0	0	0	0	0	0	2	5	7	6	21	17	34	46	74	64	75	56	41	12	3	0
	直腸*2	C19-C20 D011-D012	192	0	0	0	0	1	1	0	2	2	5	14	8	18	23	28	25	26	22	13	3	1	0	0
	肺	C33-C34 D021-D022	426	0	0	0	0	0	0	0	3	2	5	4	13	40	44	73	76	58	49	40	16	3	0	0
	皮膚	C43-C44 D030-D049	156	0	0	0	0	1	0	3	0	1	2	0	3	8	10	19	21	13	30	27	16	2	0	0
	乳房	C50 D05	896	0	0	0	0	0	0	6	11	25	51	101	66	69	103	102	117	97	69	51	21	7	0	0
子宮	C53-C55 D06	488	0	0	0	0	4	25	34	61	77	56	31	46	35	35	24	23	16	10	9	1	1	0	0	
子宮頸部	C53 D06	333	0	0	0	0	4	24	32	58	69	43	16	21	13	19	7	11	9	2	4	1	0	0	0	
膀胱	C67 D090	91	0	0	0	0	0	0	0	0	0	0	1	0	7	8	17	12	13	16	12	5	0	0	0	
総数*3 全部位	C00-C96 D00-D09	9,962	4	11	5	10	24	50	73	152	211	320	299	475	758	1,213	1,718	1,511	1,347	1,066	533	165	17	0	0	
食道	C15 D001	243	0	0	0	0	0	0	0	0	0	1	4	3	23	26	29	64	41	27	17	6	2	0	0	
大腸(結腸・直腸)*2	C18-C20 D010-D012	1,466	0	0	0	1	2	2	2	15	16	40	58	65	131	194	278	207	213	141	78	19	4	0	0	
結腸*2	C18 D010	973	0	0	0	1	1	1	1	2	9	10	19	31	41	80	123	187	152	148	98	52	15	3	0	
直腸*2	C19-C20 D011-D012	493	0	0	0	0	1	1	0	6	6	21	27	24	51	71	91	55	65	43	26	4	1	0	0	
肺	C33-C34 D021-D022	1,227	0	0	0	0	0	1	0	1	4	5	12	15	46	90	153	251	231	191	126	74	23	4	0	
皮膚	C43-C44 D030-D049	315	0	0	0	1	1	1	1	3	1	6	4	7	18	25	37	46	42	62	40	18	2	0	0	
乳房	C50 D05	900	0	0	0	0	0	0	6	11	25	51	101	66	69	103	104	117	97	70	52	21	7	0	0	
子宮	C53-C55 D06	488	0	0	0	0	4	25	34	61	77	56	31	46	35	35	24	23	16	10	9	1	1	0	0	
子宮頸部	C53 D06	333	0	0	0	0	4	24	32	58	69	43	16	21	13	19	7	11	9	2	4	1	0	0	0	
膀胱	C67 D090	422	0	0	0	0	0	0	0	0	1	5	11	13	30	52	91	62	66	50	28	12	0	0	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

大分県 2020年

性別	部位	I0D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	000-096	947.1	4.9	25.2	7.9	30.8	33.0	25.3	26.3	90.9	106.2	218.8	277.6	690.2	1,065.1	1,713.9	2,354.9	2,964.6	3,527.2	3,631.4	3,703.7	3,325.0	826.4	・
	口腔・咽頭	000-014	29.1	0.0	0.0	0.0	3.9	4.1	4.2	0.0	6.5	11.2	13.0	12.3	49.7	47.6	65.5	53.2	71.2	100.6	54.4	32.8	83.1	0.0	・
	食道	015	34.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	5.2	6.2	49.7	67.3	58.2	101.8	105.0	96.1	102.0	81.9	83.1	0.0	・
	胃	016	126.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	8.4	15.6	21.6	49.7	106.5	247.3	326.2	416.7	562.7	523.6	540.8	415.6	0.0	・
	大腸（結腸・直腸）	018-020	126.2	0.0	0.0	0.0	3.9	4.1	0.0	0.0	22.7	19.6	52.1	46.3	99.5	190.6	235.1	328.5	355.8	443.8	374.0	376.9	249.4	0.0	・
	結腸	018	79.5	0.0	0.0	0.0	3.9	4.1	0.0	0.0	9.7	8.4	26.0	12.3	56.0	109.3	143.0	217.4	260.9	301.9	244.8	180.3	166.3	0.0	・
	直腸	019-020	46.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	11.2	26.0	33.9	43.5	81.3	92.1	111.0	94.9	141.8	129.2	196.7	83.1	0.0	・
	肝および肝内胆管	022	50.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	13.0	6.2	43.5	44.8	94.5	122.6	152.5	201.3	217.6	262.2	83.1	0.0	・
	胆のう・胆管	023-024	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.1	8.4	31.5	53.2	64.4	123.5	115.6	81.9	166.3	0.0	・
	膵臓	025	41.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	11.2	13.0	12.3	12.4	44.8	67.9	99.5	138.9	151.0	210.8	180.3	83.1	0.0	・
	喉頭	032	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	11.2	19.4	32.4	40.7	22.9	34.0	0.0	0.0	0.0	・
	肺	033-034	147.4	0.0	0.0	0.0	0.0	4.1	0.0	3.8	3.2	5.6	15.6	30.8	93.3	140.1	264.2	397.9	518.4	603.9	523.6	557.2	581.9	826.4	・
	皮膚	043-044	24.0	0.0	0.0	0.0	3.9	0.0	4.2	0.0	3.2	0.0	10.4	12.3	12.4	25.2	33.9	30.1	61.0	105.2	156.4	180.3	166.3	0.0	・
	乳房	050	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	4.6	6.8	0.0	0.0	0.0	・
	前立腺	061	157.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	62.2	165.4	312.7	421.0	606.5	576.4	625.6	671.9	665.0	0.0	・
	膀胱	067	29.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	15.4	15.5	30.8	50.9	85.6	64.4	114.4	115.6	163.9	498.8	0.0	・
	腎・尿路（膀胱除く）	064-066 068	40.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	26.0	24.7	56.0	56.1	63.0	101.8	118.6	96.1	163.2	98.3	83.1	0.0	・
	脳・中枢神経系	070-072	6.2	0.0	8.4	0.0	0.0	4.1	0.0	0.0	0.0	5.6	0.0	12.3	0.0	11.2	4.8	11.6	6.8	27.4	20.4	32.8	0.0	0.0	・
	甲状腺	073	10.7	0.0	0.0	4.0	0.0	12.4	0.0	3.8	9.7	0.0	23.4	6.2	18.7	22.4	19.4	16.2	16.9	13.7	6.8	0.0	0.0	0.0	・
	悪性リンパ腫	081-085 096	41.4	0.0	4.2	0.0	3.9	0.0	0.0	3.8	9.7	8.4	10.4	18.5	49.7	47.6	63.0	83.3	101.6	141.8	210.8	229.4	83.1	0.0	・
	多発性骨髄腫	088-090	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	3.1	12.4	2.8	9.7	20.8	27.1	18.3	13.6	16.4	0.0	0.0	・
	白血病	091-095	15.7	0.0	8.4	4.0	3.9	0.0	12.7	0.0	3.2	14.0	10.4	6.2	12.4	16.8	29.1	20.8	44.0	50.3	54.4	32.8	0.0	0.0	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

大分県

2020年

性別	部位	I0D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
女	全部位	000-096	666.3	15.2	22.1	12.4	8.4	52.8	94.4	119.8	206.5	289.6	444.7	480.9	576.6	808.7	881.4	1,102.7	1,378.1	1,457.8	1,686.3	1,768.8	2,261.2	1,706.5	・	
	口腔・咽頭	000-014	13.0	0.0	0.0	0.0	0.0	4.4	0.0	0.0	3.9	2.8	10.3	8.7	11.4	10.3	17.9	24.4	44.2	12.1	35.9	30.7	18.8	113.8	・	
	食道	015	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	2.6	4.5	24.4	15.6	3.0	3.6	0.0	0.0	18.8	0.0	・
	胃	016	60.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.8	2.8	15.4	31.4	38.5	75.9	118.0	132.6	187.1	211.7	208.8	226.1	455.1	・	
	大腸（結腸・直腸）	018-020	98.1	0.0	0.0	0.0	0.0	4.4	4.5	3.9	3.9	16.4	22.7	23.1	84.1	65.7	122.7	175.0	205.4	265.6	269.1	325.5	282.6	455.1	・	
	結腸	018	68.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	9.8	17.0	10.3	52.2	45.7	77.0	75.9	124.1	145.6	196.2	190.2	251.8	226.1	341.3	・
	直腸	019-020	29.8	0.0	0.0	0.0	0.0	0.0	4.4	4.5	0.0	6.6	5.7	12.9	31.9	20.0	43.6	46.9	50.9	59.8	69.4	78.9	73.7	56.5	113.8	・
	肝および肝内胆管	022	20.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	8.6	7.7	24.5	36.6	44.2	60.4	93.3	73.7	188.4	0.0	・
	胆のう・胆管	023-024	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	7.7	11.2	34.6	33.8	72.4	114.8	141.3	113.1	0.0	・
	膵臓	025	35.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	5.1	14.5	14.3	41.1	62.5	69.2	83.2	69.4	132.7	86.0	226.1	113.8	・
	喉頭	032	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	・
	肺	033-034	67.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	5.7	12.9	11.6	34.3	87.3	87.0	142.4	189.8	163.0	168.6	245.7	301.5	341.3	・
	皮膚	043-044	21.7	0.0	0.0	0.0	0.0	0.0	4.4	0.0	7.7	0.0	0.0	5.1	0.0	5.7	20.5	20.1	26.4	46.8	30.2	93.3	135.1	263.8	113.8	・
	乳房	050	132.8	0.0	0.0	0.0	0.0	0.0	0.0	18.0	34.8	68.8	110.7	210.8	162.3	174.1	238.7	200.8	199.4	234.0	199.2	168.6	129.0	131.9	0.0	・
	子宮	053-055	42.3	0.0	0.0	0.0	0.0	0.0	0.0	27.0	15.5	32.8	62.5	72.0	55.1	91.4	69.3	58.0	46.8	52.0	36.2	35.9	55.3	18.8	113.8	・
	子宮頸部	053	16.1	0.0	0.0	0.0	0.0	0.0	0.0	22.5	7.7	22.9	39.8	38.6	11.6	20.0	12.8	22.3	12.2	20.8	15.1	7.2	24.6	18.8	0.0	・
	子宮体部	054	25.7	0.0	0.0	0.0	0.0	0.0	0.0	4.5	7.7	9.8	22.7	33.4	43.5	71.4	56.5	33.5	34.6	31.2	18.1	25.1	30.7	0.0	113.8	・
	卵巣	056	16.6	0.0	0.0	4.1	0.0	0.0	0.0	13.5	11.6	9.8	25.6	20.6	34.8	25.7	25.7	22.3	16.3	10.4	12.1	28.7	30.7	18.8	0.0	・
	膀胱	067	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	8.9	12.2	15.6	27.2	43.1	61.4	75.4	0.0	・
	腎・尿管（膀胱除く）	064-066 068	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.8	2.6	8.7	11.4	12.8	17.9	24.4	41.6	45.3	43.1	30.7	56.5	0.0	・
	脳・中枢神経系	070-072	4.4	0.0	4.4	4.1	0.0	0.0	0.0	0.0	0.0	3.3	2.8	2.6	0.0	0.0	12.8	6.7	4.1	13.0	9.1	3.6	12.3	0.0	0.0	・
	甲状腺	073	23.4	0.0	0.0	0.0	0.0	8.4	13.2	13.5	34.8	26.2	25.6	25.7	29.0	22.8	25.7	42.4	32.6	33.8	45.3	0.0	12.3	18.8	0.0	・
	悪性リンパ腫	081-085 096	26.4	0.0	0.0	0.0	0.0	0.0	4.4	4.5	3.9	3.3	8.5	7.7	14.5	11.4	43.6	24.5	38.7	67.6	87.5	71.8	43.0	150.7	0.0	・
	多発性骨髄腫	088-090	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	8.6	2.6	8.9	10.2	20.8	21.1	32.3	6.1	37.7	0.0	・
	白血病	091-095	15.2	5.1	4.4	4.1	0.0	4.4	4.4	9.0	3.9	16.4	5.7	2.6	8.7	14.3	5.1	15.6	20.3	31.2	30.2	64.6	49.1	0.0	0.0	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上をまるめ）： 部位別、性別

A. 上皮内がんを除く

大分県 2020年

性別	部位	I0D-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数*2	全部位	000-096	799.6	9.9	23.7	10.1	20.1	42.6	58.7	72.4	148.4	197.2	332.5	372.1	631.0	931.2	1,280.4	1,688.6	2,067.0	2,280.4	2,358.1	2,296.3	2,457.8	1,600.0	-
	口腔・咽頭	000-014	20.6	0.0	0.0	0.0	2.0	4.3	2.2	1.9	4.9	7.0	11.6	10.5	29.8	28.1	40.7	37.9	55.9	47.3	42.3	31.3	30.7	100.0	-
	食道	015	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.9	3.0	28.3	33.5	30.2	60.6	54.4	40.0	37.6	22.3	30.7	0.0	-
	胃	016	91.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	5.6	15.5	16.4	40.2	71.0	158.0	215.4	256.0	336.4	319.4	299.3	261.1	400.0	-
	大腸（結腸・直腸）	018-020	111.4	0.0	0.0	0.0	2.0	4.3	2.2	1.9	19.6	21.1	37.5	65.7	81.9	154.1	176.6	246.8	270.7	336.4	305.3	339.5	276.5	400.0	-
	結腸	018	73.6	0.0	0.0	0.0	2.0	2.1	0.0	1.9	9.8	12.7	18.1	32.9	50.6	92.5	108.1	167.8	195.7	238.2	209.0	232.3	215.1	300.0	-
	直腸	019-020	37.8	0.0	0.0	0.0	0.0	2.1	2.2	0.0	9.8	8.5	19.4	32.9	31.3	61.6	68.6	79.0	75.0	98.2	96.3	107.2	61.4	100.0	-
	肝および肝内胆管	022	34.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	7.8	3.0	25.3	25.5	58.1	76.9	91.2	116.4	136.2	125.1	169.0	0.0	-
	胆のう・胆管	023-024	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	8.0	20.9	43.3	47.1	92.7	115.1	125.1	122.9	0.0	-
	膵臓	025	38.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	7.0	9.1	13.4	13.4	42.9	65.1	83.3	107.4	101.8	159.7	111.7	199.7	100.0	-
	喉頭	032	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.7	10.5	16.2	17.7	9.1	11.7	0.0	0.0	0.0	-
	肺	033-034	105.6	0.0	0.0	0.0	0.0	2.1	0.0	1.9	4.9	5.6	14.2	20.9	62.5	112.6	172.0	262.0	332.5	338.2	291.2	330.6	353.3	400.0	-
	皮膚	043-044	22.8	0.0	0.0	0.0	2.0	2.1	2.2	3.8	1.6	0.0	7.8	6.0	8.9	22.8	26.7	28.1	53.0	60.0	115.1	147.4	245.8	100.0	-
	乳房	050	70.1	0.0	0.0	0.0	0.0	0.0	8.7	17.1	34.3	54.9	106.1	83.7	90.8	124.6	106.9	106.1	132.4	121.8	112.7	93.8	107.5	0.0	-
	子宮	053-055	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	053	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	054	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	056	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	061	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	067	19.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	7.5	7.4	18.8	29.0	46.5	36.8	61.8	68.1	89.3	153.6	0.0	-
	腎・尿管（膀胱除く）	064-066 068	26.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.2	14.2	16.4	32.7	33.5	39.5	60.6	75.0	65.5	84.6	49.1	61.4	0.0	-
	脳・中枢神経系	070-072	5.2	0.0	6.5	2.0	0.0	2.1	0.0	0.0	1.6	4.2	1.3	6.0	0.0	12.1	5.8	7.6	10.3	16.4	9.4	17.9	0.0	0.0	-
	甲状腺	073	17.4	0.0	0.0	2.0	4.0	12.8	6.5	19.0	17.9	12.7	24.6	17.9	20.8	24.1	31.4	24.9	26.5	32.7	2.3	8.9	15.4	0.0	-
	悪性リンパ腫	081-085 096	33.5	0.0	2.2	0.0	2.0	2.1	2.2	3.8	6.5	8.5	9.1	16.4	29.8	45.6	43.0	59.5	82.4	109.1	119.8	93.8	138.2	0.0	-
	多発性骨髄腫	088-090	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	2.6	1.5	10.4	2.7	9.3	15.2	23.5	20.0	25.8	8.9	30.7	0.0	-
	白血病	091-095	15.5	2.5	6.5	4.0	2.0	2.1	10.9	1.9	9.8	9.9	6.5	7.5	13.4	10.7	22.1	20.6	36.8	36.2	61.1	44.7	0.0	0.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

大分県 2020年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	8,719	11.2	34.3	0.0	51.1	3.4
口腔・咽頭	C00-C14	229	2.2	25.3	0.0	69.9	2.6
食道	C15	209	9.1	28.2	0.0	60.8	1.9
胃	C16	999	11.3	33.7	0.0	52.1	2.9
大腸 (結腸・直腸)	C18-C20	1,229	12.9	27.7	0.0	57.4	2.0
結腸	C18	811	12.6	32.1	0.0	54.1	1.2
直腸	C19-C20	418	13.4	19.4	0.0	63.6	3.6
肝および肝内胆管	C22	365	2.5	58.4	0.0	32.9	6.3
胆のう・胆管	C23-C24	223	2.2	37.7	0.0	57.8	2.2
膵臓	C25	405	4.7	32.1	0.0	61.7	1.5
喉頭	C32	53	1.9	18.9	0.0	75.5	3.8
肺	C33-C34	1,133	11.9	51.2	0.1	33.8	3.0
皮膚	C43-C44	255	0.0	14.1	0.0	84.3	1.6
乳房	C50	781	24.3	17.8	0.0	54.8	3.1
乳房 (女性のみ)	C50	777	24.5	17.8	0.0	54.7	3.1
子宮	C53-C55	246	8.5	22.0	0.0	67.1	2.4
子宮頸部	C53	95	16.8	17.9	0.0	62.1	3.2
子宮体部	C54	150	3.3	24.0	0.0	70.7	2.0
卵巣	C56	94	2.1	29.8	0.0	66.0	2.1
前立腺	C61	820	25.0	42.3	0.0	25.0	7.7
膀胱	C67	204	2.9	31.9	0.0	62.3	2.9
腎・尿路 (膀胱除く)	C64-C66 C68	293	9.6	49.8	0.3	35.2	5.1
脳・中枢神経系	C70-C72	57	0.0	24.6	0.0	73.7	1.8
甲状腺	C73	194	6.2	29.4	0.0	59.3	5.2
悪性リンパ腫	C81-C85 C96	367	4.1	27.2	0.0	64.9	3.8
多発性骨髄腫	C88-C90	73	4.1	37.0	0.0	53.4	5.5
白血病	C91-C95	165	7.3	33.9	0.0	55.8	3.0

*1 DC0を除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

大分県 2020年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	9,695	12.5	35.1	0.0	49.2	3.1
食道	C15 D001	238	9.2	32.4	0.0	56.7	1.7
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,443	14.4	30.8	0.0	52.5	2.3
結腸 *2	C18 D010	957	14.7	34.2	0.0	49.3	1.8
直腸 *2	C19-C20 D011-D012	486	13.8	24.3	0.0	58.6	3.3
肺	C33-C34 D021-D022	1,173	11.6	52.5	0.1	32.9	2.9
皮膚	C43-C44 D030-D049	314	0.0	15.6	0.0	82.8	1.6
乳房	C50 D05	893	26.7	18.8	0.0	51.6	2.9
乳房 (女性のみ)	C50 D05	889	26.8	18.8	0.0	51.5	2.9
子宮	C53-C55 D06	484	27.9	31.4	0.0	39.5	1.2
子宮頸部	C53 D06	333	39.0	34.5	0.0	25.5	0.9
膀胱	C67 D090	413	4.4	34.1	0.0	59.8	1.7

*1 DC0を除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

大分県

2020年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,486	50.8	9.5	13.1	18.7	7.8	22.6
口腔・咽頭	C00-C14	229	44.1	9.6	34.5	5.7	6.1	44.1
食道	C15	209	39.7	7.7	33.0	13.4	6.2	40.7
胃	C16	999	57.6	10.2	7.8	17.6	6.8	18.0
大腸 (結腸・直腸)	C18-C20	1,229	50.7	16.8	8.5	19.0	5.0	25.3
結腸	C18	811	53.8	16.3	8.4	17.9	3.7	24.7
直腸	C19-C20	418	44.7	17.7	8.9	21.1	7.7	26.6
肝および肝内胆管	C22	365	59.7	1.4	12.3	14.5	12.1	13.7
胆のう・胆管	C23-C24	223	17.0	4.5	36.8	24.7	17.0	41.3
膵臓	C25	405	19.3	9.4	23.2	44.2	4.0	32.6
喉頭	C32	53	81.1	11.3	3.8	0.0	3.8	15.1
肺	C33-C34	1,133	39.5	9.2	9.8	35.0	6.5	19.0
皮膚	C43-C44	255	85.9	1.6	6.7	0.8	5.1	8.2
乳房	C50	781	63.4	23.0	1.9	5.6	6.0	25.0
乳房 (女性のみ)	C50	777	63.4	23.0	1.9	5.7	5.9	25.0
子宮	C53-C55	246	61.0	2.8	24.4	7.3	4.5	27.2
子宮頸部	C53	95	43.2	4.2	42.1	6.3	4.2	46.3
子宮体部	C54	150	72.7	2.0	13.3	8.0	4.0	15.3
卵巣	C56	94	25.5	0.0	45.7	21.3	7.4	45.7
前立腺	C61	820	64.6	2.1	12.4	9.6	11.2	14.5
膀胱	C67	204	69.6	2.5	13.7	3.9	10.3	16.2
腎・尿路 (膀胱除く)	C64-C66 C68	293	62.1	1.4	14.3	14.3	7.8	15.7
脳・中枢神経系	C70-C72	57	47.4	0.0	24.6	3.5	24.6	24.6
甲状腺	C73	194	51.5	33.5	6.7	2.1	6.2	40.2
悪性リンパ腫	C81-C85 C96	350	31.1	0.9	12.3	42.0	13.7	13.1
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「777」を除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

大分県

2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,462	10.1	45.6	8.5	11.8	16.8	7.2	20.3
食道	C15 D001	238	12.2	34.9	6.7	29.0	11.8	5.5	35.7
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,443	14.6	43.2	14.3	7.3	16.1	4.5	21.6
結腸 *3	C18 D010	957	15.0	45.6	13.8	7.1	15.2	3.3	20.9
直腸 *3	C19-C20 D011-D012	486	13.8	38.5	15.2	7.6	18.1	6.8	22.8
肺	C33-C34 D021-D022	1,173	3.4	38.2	8.9	9.5	33.8	6.3	18.3
皮膚	C43-C44 D030-D049	314	18.5	69.7	1.3	5.4	0.6	4.5	6.7
乳房	C50 D05	893	11.9	55.4	20.2	1.7	4.9	5.9	21.8
乳房 (女性のみ)	C50 D05	889	11.9	55.5	20.1	1.7	4.9	5.8	21.8
子宮	C53-C55 D06	484	49.2	31.0	1.4	12.4	3.7	2.3	13.8
子宮頸部	C53 D06	333	71.5	12.3	1.2	12.0	1.8	1.2	13.2
膀胱	C67 D090	413	48.9	34.4	1.2	6.8	1.9	6.8	8.0

*1 DC0、「777」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

大分県

2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	8,486	1.0	50.9	7.0	12.9	18.2	10.1	19.9
口腔・咽頭	C00-C14	229	1.7	38.4	10.5	34.5	5.7	9.2	45.0
食道	C15	209	1.9	40.7	4.3	33.0	12.9	7.2	37.3
胃	C16	999	1.4	59.1	7.8	6.4	16.1	9.2	14.2
大腸 (結腸・直腸)	C18-C20	1,229	1.0	44.4	16.1	12.0	18.1	8.4	28.1
結腸	C18	811	0.7	45.7	16.5	12.5	16.9	7.6	29.0
直腸	C19-C20	418	1.4	41.9	15.3	11.0	20.6	9.8	26.3
肝および肝内胆管	C22	365	0.0	59.2	1.6	12.6	14.2	12.3	14.2
胆のう・胆管	C23-C24	223	0.0	19.7	3.1	33.2	22.9	21.1	36.3
膵臓	C25	405	0.5	22.7	5.2	23.5	43.5	4.7	28.6
喉頭	C32	53	1.9	77.4	9.4	5.7	0.0	5.7	15.1
肺	C33-C34	1,133	0.4	41.8	7.9	8.7	34.2	7.0	16.6
皮膚	C43-C44	255	0.4	82.7	1.6	7.5	0.8	7.1	9.0
乳房	C50	781	2.8	69.5	12.5	2.2	5.4	7.6	14.7
乳房 (女性のみ)	C50	777	2.8	69.5	12.6	2.2	5.4	7.5	14.8
子宮	C53-C55	246	3.7	58.9	0.8	20.3	7.7	8.5	21.1
子宮頸部	C53	95	9.5	36.8	1.1	41.1	6.3	5.3	42.1
子宮体部	C54	150	0.0	73.3	0.7	7.3	8.7	10.0	8.0
卵巣	C56	94	0.0	31.9	0.0	33.0	22.3	12.8	33.0
前立腺	C61	820	0.0	65.6	1.8	11.0	9.6	12.0	12.8
膀胱	C67	204	2.5	67.6	2.5	11.8	3.9	11.8	14.2
腎・尿路 (膀胱除く)	C64-C66 C68	293	1.0	61.4	1.4	13.3	12.6	10.2	14.7
脳・中枢神経系	C70-C72	57	0.0	47.4	0.0	24.6	3.5	24.6	24.6
甲状腺	C73	194	0.0	51.0	9.3	12.9	2.1	24.7	22.2
悪性リンパ腫	C81-C85 C96	350	0.0	30.6	0.9	12.3	42.6	13.7	13.1
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

大分県

2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	9,462	8.8	46.6	6.3	11.6	16.3	10.4	17.9
食道	C15 D001	238	10.9	38.2	3.8	29.0	11.3	6.7	32.8
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,443	8.9	39.0	13.7	10.2	15.5	12.7	23.9
結腸 *3	C18 D010	957	9.3	39.9	14.0	10.6	14.3	11.9	24.6
直腸 *3	C19-C20 D011-D012	486	8.2	37.2	13.2	9.5	17.7	14.2	22.6
肺	C33-C34 D021-D022	1,173	2.0	42.0	7.6	8.5	33.0	6.9	16.1
皮膚	C43-C44 D030-D049	314	17.5	67.8	1.3	6.1	0.6	6.7	7.3
乳房	C50 D05	893	11.3	62.6	11.0	1.9	4.7	8.5	12.9
乳房 (女性のみ)	C50 D05	889	11.4	62.5	11.0	1.9	4.7	8.4	12.9
子宮	C53-C55 D06	484	50.4	30.2	0.4	10.3	3.9	4.8	10.7
子宮頸部	C53 D06	333	73.3	10.8	0.3	11.7	1.8	2.1	12.0
膀胱	C67 D090	413	45.5	37.8	1.2	5.8	1.9	7.7	7.0

*1 DC0、「777」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

大分県

2020年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	5,132	61.5	11.6	8.9	4.3	13.7	20.5
口腔・咽頭	C00-C14	124	58.9	4.8	12.9	1.6	21.8	17.7
食道	C15	86	64.0	9.3	7.0	1.2	18.6	16.3
胃	C16	724	70.0	11.0	6.6	4.6	7.7	17.7
大腸 (結腸・直腸)	C18-C20	988	57.9	18.6	7.6	10.5	5.4	26.2
結腸	C18	683	58.9	17.7	8.3	10.5	4.5	26.1
直腸	C19-C20	305	55.7	20.7	5.9	10.5	7.2	26.6
肝および肝内胆管	C22	146	56.8	0.0	4.8	2.1	36.3	4.8
胆のう・胆管	C23-C24	86	19.8	5.8	51.2	5.8	17.4	57.0
膵臓	C25	107	35.5	26.2	15.0	3.7	19.6	41.1
喉頭	C32	22	72.7	4.5	9.1	0.0	13.6	13.6
肺	C33-C34	480	62.3	7.1	6.0	3.5	21.0	13.1
皮膚	C43-C44	244	85.7	1.2	6.1	0.8	6.1	7.4
乳房	C50	682	66.9	23.2	1.2	1.0	7.8	24.3
乳房 (女性のみ)	C50	679	66.9	23.1	1.2	1.0	7.8	24.3
子宮	C53-C55	197	69.5	3.6	15.2	3.6	8.1	18.8
子宮頸部	C53	62	56.5	6.5	21.0	1.6	14.5	27.4
子宮体部	C54	135	75.6	2.2	12.6	4.4	5.2	14.8
卵巣	C56	69	33.3	0.0	47.8	4.3	14.5	47.8
前立腺	C61	321	57.6	1.6	8.7	0.0	32.1	10.3
膀胱	C67	176	66.5	1.7	7.4	1.7	22.7	9.1
腎・尿路 (膀胱除く)	C64-C66 C68	235	69.4	0.4	14.5	6.4	9.4	14.9
脳・中枢神経系	C70-C72	33	45.5	0.0	18.2	0.0	36.4	18.2
甲状腺	C73	181	49.7	34.3	5.5	1.1	9.4	39.8
悪性リンパ腫	C81-C85 C96	44	9.1	0.0	2.3	6.8	81.8	2.3
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

大分県

2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,053	14.7	52.2	9.8	7.5	3.7	12.1	17.4
食道	C15 D001	111	21.6	49.5	7.2	5.4	0.9	15.3	12.6
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,201	17.4	47.6	15.3	6.2	8.7	4.7	21.6
結腸 *3	C18 D010	828	17.1	48.6	14.6	6.9	8.7	4.1	21.5
直腸 *3	C19-C20 D011-D012	373	18.0	45.6	16.9	4.8	8.6	6.2	21.7
肺	C33-C34 D021-D022	519	7.5	57.6	6.6	5.6	3.3	19.5	12.1
皮膚	C43-C44 D030-D049	300	17.3	69.7	1.0	5.0	0.7	6.3	6.0
乳房	C50 D05	791	13.0	57.6	20.0	1.0	0.9	7.5	21.0
乳房 (女性のみ)	C50 D05	788	13.1	57.6	19.9	1.0	0.9	7.5	20.9
子宮	C53-C55 D06	404	51.2	33.9	1.7	7.4	1.7	4.0	9.2
子宮頸部	C53 D06	269	77.0	13.0	1.5	4.8	0.4	3.3	6.3
膀胱	C67 D090	381	50.9	30.7	0.8	3.4	0.8	13.4	4.2

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

大分県 2020年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	治療なし・不明
全部位	C00-C96	8,719	26.7	20.5	9.2	10.9	30.2	10.3	2.5	21.5
口腔・咽頭	C00-C14	229	44.5	1.3	3.5	36.7	34.9	0.0	0.4	19.2
食道	C15	209	5.7	20.6	23.4	27.8	45.0	0.5	1.4	18.7
胃	C16	999	17.0	19.8	36.1	1.4	21.0	0.0	0.7	20.5
大腸 (結腸・直腸)	C18-C20	1,229	19.3	52.0	15.5	2.9	29.0	0.0	1.1	14.2
結腸	C18	811	21.1	52.5	15.5	0.5	25.2	0.0	0.9	14.3
直腸	C19-C20	418	15.8	51.0	15.6	7.7	36.6	0.0	1.4	13.9
肝および肝内胆管	C22	365	15.6	10.7	0.0	3.0	33.7	0.0	26.8	34.5
胆のう・胆管	C23-C24	223	28.3	6.3	1.3	0.9	25.6	0.0	0.4	47.1
膵臓	C25	405	22.2	3.5	1.0	2.7	54.8	0.0	1.2	34.3
喉頭	C32	53	13.2	0.0	28.3	56.6	43.4	0.0	5.7	9.4
肺	C33-C34	1,133	3.4	31.2	0.0	17.1	37.2	0.0	0.4	29.4
皮膚	C43-C44	255	91.8	0.0	0.0	1.6	1.6	0.0	0.0	7.5
乳房	C50	781	84.9	0.0	0.0	27.0	35.1	58.8	4.6	9.6
乳房 (女性のみ)	C50	777	84.9	0.0	0.0	26.9	35.3	58.7	4.6	9.7
子宮	C53-C55	246	58.1	17.5	0.0	19.5	35.4	0.8	0.8	9.8
子宮頸部	C53	95	49.5	8.4	0.0	46.3	41.1	0.0	1.1	9.5
子宮体部	C54	150	64.0	23.3	0.0	2.7	32.0	1.3	0.7	9.3
卵巣	C56	94	78.7	6.4	1.1	0.0	52.1	0.0	1.1	12.8
前立腺	C61	820	8.7	20.1	0.6	15.4	2.1	51.1	0.6	17.6
膀胱	C67	204	13.2	10.3	73.0	3.9	31.4	4.4	8.8	15.7
腎・尿路 (膀胱除く)	C64-C66 C68	293	4.8	68.3	1.0	1.7	14.3	0.0	0.0	20.5
脳・中枢神経系	C70-C72	57	38.6	0.0	0.0	45.6	45.6	0.0	0.0	43.9
甲状腺	C73	194	85.1	0.0	0.0	1.5	1.0	0.5	0.0	14.4
悪性リンパ腫	C81-C85 C96	367	6.5	0.3	0.3	10.1	59.7	0.5	1.4	32.7
多発性骨髄腫	C88-C90	73	1.4	1.4	0.0	4.1	69.9	2.7	2.7	27.4
白血病	C91-C95	165	0.0	0.0	0.0	3.6	68.5	0.0	4.8	31.5

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

大分県 2020年

部位	ICD-10	集計対象数 *1	外科的治療	鏡視下治療	内視鏡的治療	放射線療法	化学療法	内分泌療法	その他の治療	治療なし・不明
全部位	C00-C96 D00-D09	9,695	27.8	19.7	12.5	10.3	27.7	9.5	2.7	19.9
食道	C15 D001	238	5.0	18.5	30.3	24.4	39.5	0.4	1.3	18.5
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,443	16.6	45.3	26.7	2.5	24.7	0.0	0.9	12.3
結腸 *2	C18 D010	957	18.1	45.7	26.9	0.4	21.3	0.0	0.7	12.4
直腸 *2	C19-C20 D011-D012	486	13.8	44.4	26.3	6.6	31.5	0.0	1.2	12.1
肺	C33-C34 D021-D022	1,173	3.3	33.4	0.0	16.6	36.1	0.0	0.3	28.4
皮膚	C43-C44 D030-D049	314	91.1	0.0	0.0	1.9	1.3	0.0	0.6	7.6
乳房	C50 D05	893	85.8	0.0	0.0	28.7	30.7	52.1	4.3	9.2
乳房 (女性のみ)	C50 D05	889	85.8	0.0	0.0	28.6	30.8	52.0	4.3	9.2
子宮	C53-C55 D06	484	68.8	12.6	0.0	9.9	18.0	0.4	3.7	8.3
子宮頸部	C53 D06	333	71.2	7.8	0.0	13.2	11.7	0.0	5.1	7.5
膀胱	C67 D090	413	6.8	8.5	80.9	1.9	26.9	5.8	9.4	9.4

*1 DC0を除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲(%) : 部位別

A. 上皮内がんを除く

大分県

2020年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	4,749	88.4	10.6	1.0
口腔・咽頭	C00-C14	112	87.5	11.6	0.9
食道	C15	102	90.2	6.9	2.9
胃	C16	694	91.4	8.1	0.6
大腸 (結腸・直腸)	C18-C20	978	89.2	9.8	1.0
結腸	C18	663	88.8	10.3	0.9
直腸	C19-C20	315	89.8	8.9	1.3
肝および肝内胆管	C22	96	91.7	8.3	0.0
胆のう・胆管	C23-C24	78	84.6	14.1	1.3
膵臓	C25	108	89.8	9.3	0.9
喉頭	C32	21	57.1	33.3	9.5
肺	C33-C34	391	93.1	6.6	0.3
皮膚	C43-C44	234	93.6	4.3	2.1
乳房	C50	663	95.9	3.0	1.1
乳房 (女性のみ)	C50	660	95.9	3.0	1.1
子宮	C53-C55	185	93.0	6.5	0.5
子宮頸部	C53	54	90.7	9.3	0.0
子宮体部	C54	131	93.9	5.3	0.8
卵巣	C56	79	75.9	22.8	1.3
前立腺	C61	240	87.1	12.9	0.0
膀胱	C67	167	40.7	56.3	3.0
腎・尿路 (膀胱除く)	C64-C66 C68	215	89.3	9.8	0.9
脳・中枢神経系	C70-C72	22	45.5	54.5	0.0
甲状腺	C73	165	98.8	1.2	0.0
悪性リンパ腫	C81-C85 C96	26	38.5	57.7	3.8
多発性骨髄腫	C88-C90	2	50.0	50.0	0.0
白血病	C91-C95	0	.	.	.

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲 (%) : 部位別

B. 上皮内がんを含む

大分県

2020年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	5,647	89.1	9.7	1.2
食道	C15 D001	126	91.3	6.3	2.4
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,188	90.0	8.5	1.5
結腸 *2	C18 D010	806	89.7	9.1	1.2
直腸 *2	C19-C20 D011-D012	382	90.6	7.3	2.1
肺	C33-C34 D021-D022	430	93.7	6.0	0.2
皮膚	C43-C44 D030-D049	286	94.4	3.8	1.7
乳房	C50 D05	766	96.3	2.7	0.9
乳房 (女性のみ)	C50 D05	763	96.3	2.8	0.9
子宮	C53-C55 D06	392	94.6	4.6	0.8
子宮頸部	C53 D06	261	95.0	4.2	0.8
膀胱	C67 D090	367	64.3	32.7	3.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1:あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

大分県

2020年

部位	死亡／罹患比 (MI比)		死亡情報のみの「がん」が確認された症例 DCI (%)		死亡情報のみの症例 DCI (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)			
	男	女	男	女	男	女	男	女	男	女		
ICD-10												
全部位	0.41	0.39	0.40	3.4	5.0	4.1	3.0	85.5	84.9	85.2	81.0	81.9
C00-C96	0.34	0.29	0.32	1.9	0.0	1.3	1.3	95.5	90.9	94.0	92.3	90.5
000-C14	0.45	0.21	0.42	2.2	3.6	2.3	2.3	96.8	96.4	96.7	96.8	96.7
口腔・咽頭	0.38	0.39	0.38	3.3	5.4	4.0	2.9	94.1	91.8	93.3	93.5	92.5
食道	0.28	0.37	0.32	1.2	4.1	2.6	1.8	95.7	91.2	93.6	95.7	90.8
C15	0.26	0.42	0.34	1.4	4.2	2.8	1.9	95.8	89.8	92.9	95.8	89.3
C16	0.31	0.27	0.29	0.8	4.0	2.1	1.6	95.6	94.3	95.1	95.6	94.3
胃	0.66	0.80	0.70	7.5	11.6	8.7	6.2	42.9	31.4	39.3	41.4	28.9
大腸 (結腸・直腸)	0.77	0.86	0.82	1.8	12.9	7.7	5.1	80.2	56.5	67.7	67.6	46.0
C18-C20	0.97	0.96	0.97	6.8	10.0	8.3	6.3	66.7	62.9	64.8	60.4	52.9
C18	0.06	0.00	0.06	0.0	0.0	0.0	0.0	95.9	100.0	96.2	95.9	100.0
C19-C20	0.64	0.59	0.62	5.0	9.5	6.5	4.5	75.8	69.3	73.6	68.3	65.7
直腸	0.07	0.07	0.07	0.0	0.8	0.4	0.4	99.2	98.4	98.8	99.2	98.4
肝および肝内胆管	0.00	0.13	0.13	0.0	0.9	0.9	0.9	100.0	96.0	96.1	100.0	94.9
C22	-	0.27	0.27	-	2.0	2.0	1.6	-	95.6	95.6	-	94.0
C23-C24	-	0.26	0.26	-	0.0	0.0	0.0	-	100.0	100.0	-	97.9
C25	-	0.19	0.19	-	2.0	2.0	1.3	-	94.7	94.7	-	93.4
膵臓	-	0.36	0.36	-	5.1	5.1	4.1	-	90.8	90.8	-	86.7
C32	0.16	-	0.16	3.0	-	3.0	2.6	86.6	-	86.6	86.0	86.0
C33-C34	0.39	0.44	0.40	5.0	9.3	6.1	4.2	92.5	79.6	89.2	88.1	75.9
喉頭	0.26	0.52	0.34	1.9	7.0	3.3	2.7	87.9	81.4	86.0	82.8	72.1
肺	0.58	0.69	0.63	3.0	7.7	5.1	3.4	66.7	42.3	55.9	66.7	42.3
C43-C44	0.12	0.04	0.07	0.0	0.7	0.5	0.5	96.5	97.1	96.9	89.5	92.0
皮膚	0.29	0.43	0.35	2.7	6.4	4.2	2.7	92.3	88.5	90.7	90.0	87.8
乳房	0.80	0.62	0.70	0.0	11.9	6.5	5.2	94.3	76.2	84.4	88.6	73.8
C50	0.77	0.60	0.68	3.6	8.9	6.3	5.2	95.2	94.4	94.8	84.5	70.0
C53-C55	-	-	-	-	-	-	-	-	-	-	-	-
子宮	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	-	-	-	-	-	-	-	-	-	-	-	-
C54	-	-	-	-	-	-	-	-	-	-	-	-
子宮体部	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	-	-	-	-	-	-	-
卵巣	-	-	-	-	-	-	-	-	-	-	-	-
C61	-	-	-	-	-	-	-	-	-	-	-	-
前立腺	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-
膀胱	-	-	-	-	-	-	-	-	-	-	-	-
C64-C66 C68	-	-	-	-	-	-	-	-	-	-	-	-
腎・尿路 (膀胱除く)	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	-	-	-
脳・中枢神経系	-	-	-	-	-	-	-	-	-	-	-	-
C73	-	-	-	-	-	-	-	-	-	-	-	-
甲状腺	-	-	-	-	-	-	-	-	-	-	-	-
C81-C85 C96	-	-	-	-	-	-	-	-	-	-	-	-
悪性リンパ腫	-	-	-	-	-	-	-	-	-	-	-	-
C88-C90	-	-	-	-	-	-	-	-	-	-	-	-
多発性骨髄腫	-	-	-	-	-	-	-	-	-	-	-	-
C91-C95	-	-	-	-	-	-	-	-	-	-	-	-
白血病	-	-	-	-	-	-	-	-	-	-	-	-

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

大分県

2020年

部位	死亡／罹患比 (MI比)		死亡情報のみ「がん」が確認された症例 DCI (%)		死亡情報のみの症例 DC0 (%)		病理学的裏付けのある症例 MV (%)		組織学的裏付けのある症例 HV (%)					
	男	女	男	女	男	女	男	女	男	女				
ICD-10														
全部位	0.38	0.35	0.36	3.1	4.4	3.7	2.2	3.2	2.7	86.7	86.7	83.9	83.3	83.6
食道	0.40	0.18	0.37	1.9	3.0	2.1	1.9	3.0	2.1	97.1	97.0	97.1	97.0	97.1
大腸 (結腸・直腸) *2	0.23	0.33	0.27	1.0	3.7	2.2	0.7	2.6	1.6	96.4	92.2	94.5	91.9	94.4
結腸 *2	0.22	0.36	0.29	1.2	3.7	2.4	0.8	2.6	1.6	96.5	91.1	93.9	96.5	90.7
直腸 *2	0.25	0.24	0.25	0.7	3.6	1.8	0.7	2.6	1.4	96.3	94.8	95.7	96.3	94.8
肺	0.62	0.55	0.60	4.9	8.9	6.3	3.1	6.8	4.4	76.3	71.1	74.5	68.9	62.9
皮膚	0.06	0.06	0.06	0.0	0.6	0.3	0.0	0.6	0.3	99.4	98.7	99.0	99.4	98.7
乳房	0.00	0.11	0.11	0.0	0.8	0.8	0.0	0.8	0.8	100.0	96.5	96.6	100.0	95.1
子宮	-	0.14	0.14	-	1.0	1.0	-	0.8	0.8	-	97.7	97.7	-	96.9
子宮頸部	-	0.08	0.08	-	0.0	0.0	-	0.0	0.0	-	100.0	100.0	-	99.4
膀胱	0.19	0.26	0.20	2.4	5.5	3.1	1.5	4.4	2.1	96.4	87.9	94.5	93.7	85.7

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合 (%)、粗死亡率 (人口10万対)、年齢調整死亡率 (人口10万対)、累積死亡率 (%) : 部位別、性別

大分県

2020年

部位	死亡数													部位割合						粗死亡率						年齢調整死亡率						累積死亡率(0-74歳)							
	ICD-10			男			女			総数 *1			男			女			総数 *1			男			女			男			女			男			女		
	ICD-10	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1					
全部位	2,080	1,548	3,628	100.0	100.0	100.0	394.2	255.1	326.4	137.5	72.6	100.6	92.6	51.0	69.0	9.9	5.1	7.3	2.6	1.6	3.1	3.7	1.1	2.3	2.6	0.8	1.6	0.3	0.1	0.2	0.3	0.1	0.2						
口腔・咽頭	52	22	74	2.5	1.4	2.0	9.9	3.8	6.7	3.7	1.1	2.3	2.6	0.8	1.6	0.3	0.1	0.2																					
食道	83	6	89	4.0	0.4	2.5	15.7	1.0	8.0	5.7	0.4	2.8	3.8	0.3	1.8	0.5	0.0	0.2																					
胃	255	138	393	12.3	8.9	10.8	48.3	23.6	35.4	15.7	6.0	10.1	10.4	4.2	6.8	1.1	0.4	0.7																					
大腸(結腸・直腸)	186	215	401	8.9	13.9	11.1	35.3	36.8	36.1	13.0	9.7	11.2	8.7	6.7	7.6	1.0	0.7	0.8																					
結腸	110	168	278	5.3	10.9	7.7	20.8	28.8	25.0	7.0	7.3	7.2	4.7	5.0	4.8	0.5	0.5	0.5																					
直腸	76	47	123	3.7	3.0	3.4	14.4	8.0	11.1	5.9	2.4	4.0	4.0	1.7	2.8	0.5	0.2	0.3																					
肝および肝内胆管	177	97	274	8.5	6.3	7.6	33.5	16.6	24.6	10.7	3.2	6.4	7.0	2.1	4.3	0.7	0.2	0.5																					
胆のう・胆管	85	107	192	4.1	6.9	5.3	16.1	18.3	17.3	4.8	3.5	4.1	3.0	2.4	2.6	0.2	0.2	0.2																					
膵臓	216	202	418	10.4	13.0	11.5	40.9	34.6	37.6	15.4	9.0	11.9	10.6	6.0	8.1	1.2	0.6	0.9																					
喉頭	3	0	3	0.1	0.0	0.1	0.6	0.0	0.3	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0																					
肺	500	235	735	24.0	15.2	20.3	94.8	40.2	66.1	33.2	9.5	19.9	22.3	6.4	13.5	2.5	0.6	1.5																					
皮膚	9	9	18	0.4	0.6	0.5	1.7	1.5	1.6	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0																					
乳房	0	100	100	0.0	6.5	2.8	0.0	17.1	9.0	0.0	7.7	4.1	0.0	5.8	3.1	0.0	0.7	0.4																					
子宮	-	68	68	-	4.4	1.9	-	11.6	-	-	5.8	-	-	4.3	-	-	0.4	-																					
子宮頸部	-	25	25	-	1.6	0.7	-	4.3	-	-	2.3	-	-	1.7	-	-	0.2	-																					
子宮体部	-	29	29	-	1.9	0.8	-	5.0	-	-	2.6	-	-	1.9	-	-	0.2	-																					
卵巣	-	35	35	-	2.3	1.0	-	6.0	-	-	2.1	-	-	1.6	-	-	0.2	-																					
前立腺	136	-	136	6.5	-	3.7	25.8	-	-	6.9	-	-	4.5	-	-	0.3	-	-																					
膀胱	62	24	86	3.0	1.6	2.4	11.8	4.1	7.7	4.0	0.7	2.2	2.7	0.5	1.5	0.3	0.0	0.1																					
腎・尿路(膀胱除く)	56	45	101	2.7	2.9	2.8	10.6	7.7	9.1	3.9	1.6	2.7	2.7	1.0	1.8	0.3	0.1	0.2																					
脳・中枢神経系	19	18	37	0.9	1.2	1.0	3.6	3.1	3.3	1.9	2.4	2.1	1.5	2.3	1.8	0.2	0.2	0.2																					
甲状腺	7	6	13	0.3	0.4	0.4	1.3	1.0	1.2	0.4	0.2	0.3	0.2	0.1	0.2	0.0	0.0	0.0																					
悪性リンパ腫	64	67	131	3.1	4.3	3.6	12.1	11.5	11.8	4.1	2.5	3.2	2.7	1.6	2.1	0.3	0.1	0.2																					
多発性骨髄腫	28	26	54	1.3	1.7	1.5	5.3	4.5	4.9	1.8	0.8	1.3	1.3	0.5	0.9	0.1	0.1	0.1																					
白血病	65	54	119	3.1	3.5	3.3	12.3	9.2	10.7	5.5	2.1	3.7	3.8	1.4	2.6	0.4	0.1	0.3																					

*1 総数は男女および性別不詳の合計(死亡の場所が不詳及び外国を含む)

表10. 年齢階級別死亡数：部位別、性別

大分県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C97	2,080	0	0	0	0	0	1	2	4	4	5	18	17	54	88	227	367	346	367	337	191	49	3	0
	口腔・咽頭	C00-C14	52	0	0	0	0	0	0	0	0	0	0	2	1	2	1	11	5	8	7	10	3	2	0	0
	食道	C15	83	0	0	0	0	0	0	0	0	0	0	0	3	5	7	25	16	15	7	7	3	2	0	0
	胃	C16	255	0	0	0	0	1	0	0	0	0	1	1	2	9	29	44	40	58	26	36	8	0	0	0
	大腸（結腸・直腸）	C18-C20	186	0	0	0	0	0	0	1	0	0	1	1	9	8	24	31	38	29	26	13	5	0	0	0
	結腸	C18	110	0	0	0	0	0	0	0	0	0	0	2	5	19	13	22	20	19	9	1	0	0	0	0
	直腸	C19-C20	76	0	0	0	0	0	0	1	0	0	1	1	7	3	5	18	16	9	7	4	4	0	0	0
	肝および肝内胆管	C22	177	0	0	0	0	0	0	0	0	0	1	1	3	3	23	30	28	34	34	18	2	0	0	0
	胆のう・胆管	C23-C24	85	0	0	0	0	0	0	0	0	0	0	0	1	2	9	8	15	23	17	6	4	0	0	0
	膵臓	C25	216	0	0	0	0	0	0	0	1	1	4	4	5	12	26	44	31	37	30	19	1	1	0	0
	喉頭	C32	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0
	肺	C33-C34	500	0	0	0	0	0	0	1	0	1	2	6	14	26	51	97	84	83	81	42	11	1	0	0
	皮膚	C43-C44	9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	4	0	1	0	0	0
	乳房	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	前立腺	C61	136	0	0	0	0	0	0	0	0	0	0	0	0	3	12	12	24	20	40	20	4	1	0	0
	膀胱	C67	62	0	0	0	0	0	0	0	0	1	0	1	0	3	2	4	9	7	13	7	10	5	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	56	0	0	0	0	0	0	0	0	0	1	0	1	7	3	14	9	8	10	2	1	0	0	0
	脳・中枢神経系	C70-C72	19	0	0	0	0	0	1	0	0	2	0	1	1	0	2	4	0	2	3	3	0	0	0	0
	甲状腺	C73	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	1	0	0	0	0	0
	悪性リンパ腫	C81-C85 C96	64	0	0	0	0	0	0	0	0	0	0	1	3	2	5	11	11	11	14	5	1	0	0	0
	多発性骨髄腫	C88-C90	28	0	0	0	0	0	0	0	0	0	1	0	0	2	3	4	5	4	8	1	0	0	0	0
	白血病	C91-C95	65	0	0	0	0	0	0	1	1	1	3	0	4	0	12	10	13	10	7	3	0	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数：部位別、性別

大分県

2020年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,548	0	0	1	2	1	0	2	4	8	15	28	43	68	97	157	191	248	298	264	104	17	0
	口腔・咽頭	C00-C14	22	0	0	0	0	0	0	0	0	0	0	1	0	3	0	3	3	2	7	2	0	1	0
	食道	C15	6	0	0	0	0	0	0	0	0	0	1	0	0	0	0	2	1	1	1	0	0	0	0
	胃	C16	138	0	0	0	0	0	1	0	0	1	0	1	4	6	11	12	13	21	30	28	8	2	0
	大腸（結腸・直腸）	C18-C20	215	0	0	0	0	0	0	1	0	0	4	4	4	8	11	28	24	37	41	26	22	5	0
	結腸	C18	168	0	0	0	0	0	0	0	0	0	3	3	4	6	6	21	20	30	33	20	18	4	0
	直腸	C19-C20	47	0	0	0	0	0	0	1	0	1	1	1	0	2	5	7	4	7	8	6	4	1	0
	肝および肝内胆管	C22	97	0	0	0	0	0	0	0	0	0	0	0	3	0	6	9	9	12	28	19	10	1	0
	胆のう・胆管	C23-C24	107	0	0	0	0	0	0	0	0	0	0	0	3	3	6	5	6	22	22	30	10	0	0
	膀胱	C25	202	0	0	0	0	0	0	0	0	1	1	2	3	7	17	26	35	30	42	28	9	1	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	235	0	0	0	0	0	0	0	0	1	1	2	2	10	12	27	39	31	39	48	17	6	0
	皮膚	C43-C44	9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	4	2	0	0
	乳房	C50	100	0	0	0	0	0	0	0	0	1	3	7	8	11	11	18	7	11	8	14	1	0	0
	子宮	C53-C55	68	0	0	0	0	0	1	2	0	0	4	5	6	6	3	6	7	16	10	1	1	0	0
	子宮頸部	C53	25	0	0	0	0	0	0	1	0	0	4	1	3	2	0	1	1	8	4	0	0	0	0
	子宮体部	C54	29	0	0	0	0	0	0	0	1	0	0	4	3	3	2	2	6	3	4	0	1	0	0
	卵巣	C56	35	0	0	0	0	0	0	0	0	0	0	2	3	5	1	2	2	6	5	7	2	0	0
	膀胱	C67	24	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	0	6	6	7	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	45	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	7	11	8	8	4	1	0
	脳・中枢神経系	C70-C72	18	0	0	1	2	0	0	1	1	2	0	0	2	1	2	1	1	2	1	1	1	1	0
	甲状腺	C73	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	1	1	0	0	0
	悪性リンパ腫	C81-C85 C96	67	0	0	0	0	0	0	0	0	0	1	1	1	2	3	4	11	11	18	12	4	0	0
	多発性骨髄腫	C88-C90	26	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3	3	4	8	3	3	0	0
	白血病	C91-C95	54	0	0	0	0	0	0	0	0	0	1	0	0	2	3	4	11	9	12	11	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数：部位別、性別

大分県

2020年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	3,628	0	0	1	2	2	2	6	8	13	33	45	97	156	324	524	537	615	635	455	153	20	0
	口腔・咽頭	C00-C14	74	0	0	0	0	0	0	0	0	0	0	2	4	11	8	11	9	17	5	2	1	0	0
	食道	C15	89	0	0	0	0	0	0	0	0	0	1	0	3	5	7	27	17	16	8	3	2	0	0
	胃	C16	393	0	0	0	0	1	0	1	0	1	1	2	6	15	40	56	53	79	56	64	16	2	0
	大腸(結腸・直腸)	C18-C20	401	0	0	0	0	0	0	1	1	0	5	5	13	16	35	59	62	66	67	39	27	5	0
	結腸	C18	278	0	0	0	0	0	0	0	0	0	3	3	6	11	25	34	42	50	52	29	19	4	0
	直腸	C19-C20	123	0	0	0	0	0	0	1	1	0	2	2	7	5	10	25	20	16	15	10	8	1	0
	肝および肝内胆管	C22	274	0	0	0	0	0	0	0	0	0	1	1	6	3	29	39	37	46	62	37	12	1	0
	胆のう・胆管	C23-C24	192	0	0	0	0	0	0	0	0	0	0	0	4	5	15	13	21	45	39	36	14	0	0
	膵臓	C25	418	0	0	0	0	0	0	0	1	2	5	6	8	19	43	70	66	67	72	47	10	2	0
	喉頭	C32	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0
	肺	C33-C34	735	0	0	0	0	0	0	1	0	2	3	8	16	36	63	124	123	114	120	90	28	7	0
	皮膚	C43-C44	18	0	0	0	0	0	0	0	0	0	0	1	1	0	0	2	2	0	5	4	3	0	0
	乳房	C50	100	0	0	0	0	0	0	0	0	1	3	7	8	11	11	18	7	11	8	14	1	0	0
	子宮	C53-C55	68	0	0	0	0	0	0	1	2	0	4	5	6	6	3	6	7	16	10	1	1	0	0
	子宮頸部	C53	25	0	0	0	0	0	0	0	1	0	4	1	3	2	0	1	1	8	4	0	0	0	0
	子宮体部	C54	29	0	0	0	0	0	0	0	1	0	0	4	3	3	2	2	6	3	4	0	1	0	0
	卵巣	C56	35	0	0	0	0	0	0	0	0	0	0	2	3	5	1	2	2	6	5	7	2	0	0
	前立腺	C61	136	0	0	0	0	0	0	0	0	0	0	0	0	3	12	12	24	20	40	20	4	1	0
	膀胱	C67	86	0	0	0	0	0	0	0	1	0	1	0	4	2	6	9	7	19	13	17	7	0	0
	腎・尿路(膀胱除く)	C64-C66 C68	101	0	0	0	0	0	0	0	0	0	1	0	2	8	5	16	16	19	18	10	5	1	0
	脳・中枢神経系	C70-C72	37	0	0	1	2	0	1	0	1	4	0	1	3	1	4	5	1	4	4	4	1	0	0
	甲状腺	C73	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	4	2	1	0	0	0
	悪性リンパ腫	C81-C85 C96	131	0	0	0	0	0	0	0	0	0	0	2	4	4	8	15	22	22	32	17	5	0	0
	多発性骨髄腫	C88-C90	54	0	0	0	0	0	0	0	0	0	1	0	0	2	5	7	8	8	16	4	3	0	0
	白血病	C91-C95	119	0	0	0	0	0	0	1	1	1	4	0	4	2	15	14	24	19	19	14	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まるめ）： 部位別、性別

大分県

2020年

性別	部位	10D-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	394.2	0.0	0.0	0.0	0.0	0.0	4.5	8.9	15.4	13.2	14.1	47.1	52.6	168.4	247.3	551.6	851.0	1,174.5	1,682.2	2,294.7	3,134.7	4,073.2	2,479.3
	口腔・咽頭	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	3.1	6.2	2.8	26.7	11.6	27.2	32.1	68.1	49.2	166.3	0.0
	食道	15.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.4	14.1	17.0	58.0	54.3	68.8	47.7	49.2	166.3	0.0
	胃	48.3	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	2.6	3.1	6.2	25.3	70.5	102.0	135.8	265.8	177.0	590.8	665.0	0.0
	大腸（結腸・直腸）	35.3	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	2.6	3.1	28.1	22.5	58.3	71.9	129.0	132.9	177.0	213.4	415.6	0.0
	結腸	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	14.1	46.2	30.1	74.7	91.7	129.4	147.7	83.1	0.0	
	直腸	14.4	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	0.0	2.6	3.1	21.8	8.4	12.2	41.7	54.3	41.3	47.7	65.6	332.5	0.0	
	肝および肝内胆管	33.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.1	9.4	8.4	55.9	69.6	95.0	155.8	231.5	295.4	166.3	0.0	
	胆のう・胆管	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	5.6	21.9	18.5	50.9	105.4	115.8	98.5	332.5	0.0	
	膵臓	40.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.8	10.5	12.4	15.6	33.7	63.2	102.0	105.2	169.6	204.3	311.8	83.1	826.4	
	喉頭	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	4.6	0.0	0.0	83.1	
	肺	94.8	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	2.8	5.2	18.6	43.7	73.1	123.9	224.9	285.1	380.4	551.5	689.3	914.4	826.4	
	皮膚	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	2.3	6.8	0.0	27.2	0.0	83.1	
	乳房	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	前立腺	25.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.4	29.2	27.8	81.5	91.7	272.4	328.2	332.5	
	膀胱	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	2.6	0.0	0.0	9.4	5.6	9.7	20.9	23.8	59.6	47.7	164.1	415.6	
	腎・尿路（膀胱除く）	10.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	3.1	19.7	7.3	32.5	30.5	36.7	68.1	32.8	83.1	
	脳・中枢神経系	3.6	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	5.6	0.0	0.0	3.1	3.1	0.0	4.9	9.3	0.0	9.2	20.4	49.2	0.0	
	甲状腺	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	10.2	4.6	6.8	0.0	0.0		
	悪性リンパ腫	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	9.4	5.6	12.2	25.5	37.3	50.4	95.3	82.1	83.1	
	多発性骨髄腫	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	5.6	7.3	9.3	17.0	18.3	54.5	16.4	0.0		
	白血病	12.3	0.0	0.0	0.0	0.0	0.0	0.0	3.9	3.3	2.8	7.8	0.0	0.0	12.5	0.0	28.2	23.2	44.1	45.8	47.7	49.2	0.0	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

大分県

2020年

性別	部位	10D-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	285.1	0.0	0.0	4.1	8.5	4.8	0.0	8.0	13.4	23.0	38.9	81.8	123.3	175.2	217.0	320.0	497.7	749.8	1,070.4	1,622.6	1,960.4	1,936.2	
	C00-C07																							
	C00-C14	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	7.7	0.0	6.1	7.8	6.0	25.1	12.3	0.0	113.9	
	C15	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	4.1	2.6	3.0	3.6	0.0	0.0	0.0	
	C16	23.6	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	2.9	0.0	2.9	11.5	15.5	24.6	24.5	33.9	63.5	107.8	172.1	150.8	227.8	
	C18-C20	36.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	10.4	11.7	11.5	20.6	24.6	57.1	62.5	111.9	147.3	159.8	414.7	569.5	
	C18	28.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	8.8	11.5	15.5	13.4	42.8	52.1	90.7	118.5	122.9	339.3	455.6	
	C19-C20	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	2.6	2.9	0.0	5.2	11.2	14.3	10.4	21.2	28.7	36.9	75.4	113.9	
	C22	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	0.0	13.4	18.3	23.5	36.3	100.6	116.8	188.5	113.9	
	C23-C24	18.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.6	7.7	13.4	10.2	15.6	66.5	79.0	184.4	188.5	0.0	
	C25	34.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	5.8	8.6	18.0	38.0	53.0	91.2	90.7	150.9	172.1	169.7	113.9	
	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	C33-C34	40.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	5.8	5.7	25.8	26.8	55.0	101.6	93.7	140.1	295.0	320.5	683.4	
	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	2.0	0.0	0.0	3.6	24.6	37.7	0.0	
	C50	17.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	7.8	20.4	22.9	28.3	24.6	36.7	18.2	33.3	28.7	86.0	18.9	0.0	
	C53-C55	11.6	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.7	0.0	10.4	14.6	17.2	15.5	6.7	12.2	18.2	48.4	35.9	6.1	18.9	0.0	
	C53	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	10.4	2.9	8.6	5.2	0.0	2.0	2.6	24.2	14.4	0.0	0.0	0.0	
	C54	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	11.7	8.6	7.7	4.5	4.1	15.6	9.1	14.4	0.0	18.9	0.0	
	C56	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	8.6	12.9	2.2	4.1	5.2	18.1	18.0	43.0	37.7	0.0	
	C67	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	4.5	0.0	0.0	18.1	21.6	43.0	37.7	0.0	
	C64-C66 C68	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	2.6	4.5	4.1	18.2	33.3	28.7	49.2	75.4	113.9	
	C70-C72	3.1	0.0	0.0	4.1	8.5	0.0	0.0	0.0	3.3	5.7	0.0	0.0	5.7	2.6	4.5	2.0	2.6	6.0	3.6	6.1	18.9	0.0	
	C73	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	9.1	3.6	6.1	0.0	0.0	
	C81-C85 C96	11.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	5.2	6.7	8.2	28.7	33.3	64.7	73.8	75.4	0.0	0.0	
	C88-C90	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	6.1	7.8	12.1	28.7	18.4	56.6	0.0	
	C91-C95	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	5.2	6.7	8.2	28.7	27.2	43.1	67.6	18.9	0.0	0.0	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まるめ）： 部位別、性別

大分県

2020年

性別	10D-10	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
総数 *2	全部位	326.4	0.0	0.0	2.0	4.1	4.6	4.6	11.8	13.3	18.5	43.0	67.6	144.9	209.7	377.4	568.4	791.7	1,120.3	1,493.2	2,034.6	2,351.0	2,002.0	
	口腔・咽頭	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.0	5.4	12.8	8.7	16.2	16.4	40.0	22.4	30.7	100.1	-	
	食道	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	4.5	6.7	8.2	29.3	25.1	29.1	18.8	13.4	30.7	0.0	
	胃	35.4	0.0	0.0	0.0	2.3	0.0	2.0	2.0	0.0	1.4	1.3	3.0	9.0	20.2	46.6	60.7	78.1	143.9	131.7	286.2	245.9	200.2	
	大腸（結腸・直腸）	36.1	0.0	0.0	0.0	0.0	0.0	2.0	2.0	1.7	0.0	6.5	7.5	19.4	21.5	40.8	64.0	91.4	120.2	157.6	174.4	414.9	500.5	
	結腸	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	4.5	9.0	14.8	29.1	36.9	61.9	91.1	122.3	129.7	291.9	400.4	-	
	直腸	11.1	0.0	0.0	0.0	0.0	0.0	2.0	2.0	1.7	0.0	2.6	3.0	10.5	6.7	11.6	27.1	29.5	29.1	35.3	44.7	122.9	100.1	
	肝および肝内胆管	24.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.5	9.0	4.0	33.8	42.3	54.5	83.8	145.8	165.5	184.4	100.1	
	胆のう・胆管	17.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	6.7	17.5	14.1	31.0	82.0	91.7	161.0	215.1	0.0	
	膵臓	37.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.8	6.5	9.0	12.0	25.5	50.1	75.9	97.3	122.1	169.3	210.2	153.7	200.2	
	喉頭	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.8	0.0	0.0	15.4	0.0	
	肺	66.1	0.0	0.0	0.0	0.0	0.0	2.0	2.0	0.0	2.8	3.9	12.0	23.9	48.4	73.4	134.5	181.3	207.7	282.2	402.5	430.2	700.7	
	皮膚	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	2.2	2.9	0.0	11.8	17.9	46.1	0.0	
	乳房	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.9	10.5	12.0	14.8	12.8	19.5	10.3	20.0	18.8	62.6	15.4	0.0	
	子宮	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巢	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.3	0.0	6.0	2.7	7.0	9.8	10.3	34.6	30.6	76.0	107.6	0.0	
	腎・尿路（膀胱除く）	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	3.0	10.8	5.8	17.4	23.6	34.6	42.3	44.7	76.8	100.1	
	脳・中枢神経系	3.3	0.0	0.0	2.0	4.1	0.0	2.3	0.0	1.7	5.7	0.0	1.5	4.5	1.3	4.7	5.4	1.5	7.3	9.4	17.9	15.4	0.0	
	甲状腺	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.9	7.3	4.7	4.5	0.0	0.0	
	悪性リンパ腫	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	6.0	5.4	9.3	16.3	32.4	40.1	75.2	76.0	76.8	0.0	
	多発性骨髄腫	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	2.7	5.8	7.6	11.8	14.6	37.6	17.9	46.1	0.0	
	白血病	10.7	0.0	0.0	0.0	0.0	0.0	2.0	1.7	1.4	5.2	0.0	6.0	2.7	17.5	15.2	35.4	34.6	44.7	62.6	15.4	0.0	0.0	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表12. 5年相対生存率(%) : 部位別、性別

大分県

2015年

部位	ICD-10	男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
全部位	C00-C96	4,398	62.4	0.9	3,296	62.4	1.0	7,694	62.4	0.7
口腔・咽頭	C00-C14	109	62.7	5.3	59	64.9	7.5	168	63.4	4.3
食道	C15	127	45.8	5.1	25	47.3	10.8	152	46.2	4.6
胃	C16	605	62.9	2.5	282	63.1	3.5	887	63.0	2.0
大腸(結腸・直腸)	C18-C20	518	66.5	2.6	438	63.0	2.8	956	64.9	1.9
結腸	C18	304	68.1	3.5	315	62.5	3.4	619	65.3	2.4
直腸	C19-C20	214	64.3	4.0	123	64.2	5.0	337	64.3	3.1
肝および肝内胆管	C22	290	46.6	3.5	154	28.4	4.1	444	40.2	2.7
胆のう・胆管	C23-C24	126	29.7	4.7	123	25.2	4.4	249	27.5	3.2
膵臓	C25	165	14.6	3.0	190	10.0	2.3	355	12.1	1.9
喉頭	C32	49	66.3	9.1	3	34.8	29.8	52	64.6	8.8
肺	C33-C34	705	36.7	2.1	322	57.4	3.2	1,027	43.3	1.8
皮膚	C43-C44	154	87.7	5.5	113	90.7	6.0	267	89.7	4.0
乳房	C50	5	0.0	0.0	700	91.4	1.4	705	90.8	1.4
子宮	C53-C55	-	-	-	201	73.1	3.4	201	73.1	3.4
子宮頸部	C53	-	-	-	84	70.8	5.3	84	70.8	5.3
子宮体部	C54	-	-	-	116	75.3	4.3	116	75.3	4.3
卵巣	C56	-	-	-	98	61.1	5.1	98	61.1	5.1
前立腺	C61	791	98.1	1.7	-	-	-	791	98.1	1.7
膀胱	C67	126	75.7	5.6	44	63.6	9.1	170	72.5	4.8
腎・尿路(膀胱除く)	C64-C66 C68	170	70.9	4.5	89	70.2	5.9	259	70.6	3.6
脳・中枢神経系	C70-C72	34	31.3	8.3	28	29.6	8.9	62	30.6	6.1
甲状腺	C73	12	60.9	15.9	37	79.2	7.9	49	75.8	7.2
悪性リンパ腫	C81-C85 C96	165	71.0	4.4	166	59.0	4.3	331	64.9	3.1
多発性骨髄腫	C88-C90	42	59.0	9.6	37	50.6	9.0	79	55.0	6.6
白血病	C91-C95	80	40.4	6.0	58	33.3	6.5	138	37.4	4.4

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

大分県

2015年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
全部位	C00-C96	2,069	92.4	1.2	1,489	90.1	1.2	3,558	91.4	0.8			
		322	52.2	3.3	277	78.2	3.0	599	64.5	2.3			
		571	51.0	2.4	416	46.6	2.7	987	49.1	1.8			
		822	18.0	1.5	542	19.4	1.8	1,364	18.6	1.1			
		500	34.6	2.5	477	33.1	2.4	977	33.9	1.7			
		4,398	62.4	0.9	3,296	62.4	1.0	7,694	62.4	0.7			
		893	51.5	2.0	693	59.3	2.1	1,586	54.9	1.4			
口腔・咽頭	C00-C14	38	93.0	5.5	29	82.7	9.5	67	90.9	5.2			
		15	77.2	12.8	8	65.4	18.3	23	74.0	10.6			
		36	38.2	9.0	14	48.3	16.1	50	42.0	7.9			
		9	35.9	17.8	2	0.0	0.0	11	29.2	15.1			
		11	9.9	9.5	6	19.5	24.4	17	13.6	9.7			
		109	62.7	5.3	59	64.9	7.5	168	63.4	4.3			
		51	51.3	7.9	22	55.4	12.3	73	53.2	6.7			
食道	C15	44	82.4	8.1	8	78.3	16.9	52	82.0	7.4			
		8	65.2	18.8	3	0.0	0.0	11	48.6	16.6			
		32	22.1	8.1	9	45.3	17.4	41	28.0	7.7			
		24	17.9	8.5	4	25.9	23.0	28	19.1	8.1			
		19	20.1	11.4	1	0.0	0.0	20	19.1	10.8			
		127	45.8	5.1	25	47.3	10.8	152	46.2	4.6			
		40	31.8	8.2	12	34.9	14.5	52	32.8	7.1			
胃	C16	322	91.1	3.0	151	92.2	3.6	473	91.7	2.4			
		82	52.0	6.8	31	55.1	10.4	113	53.2	5.7			
		48	40.8	8.3	19	36.3	12.3	67	40.7	6.9			
		105	11.7	3.4	51	6.5	3.7	156	10.0	2.6			
		48	22.9	7.1	30	23.9	9.9	78	23.8	5.8			
		605	62.9	2.5	282	63.1	3.5	887	63.0	2.0			
		130	48.6	5.3	50	48.5	8.1	180	48.5	4.4			
大腸(結腸・直腸)	C18-C20	236	95.2	3.1	186	90.1	3.6	422	94.8	2.4			
		83	67.7	6.3	67	82.7	6.6	150	74.4	4.6			
		40	43.6	8.9	45	38.9	8.6	85	41.1	6.2			
		95	13.8	3.9	88	13.6	3.8	183	13.7	2.7			
		64	38.3	7.1	52	41.5	7.8	116	40.4	5.3			
		518	66.5	2.6	438	63.0	2.8	956	64.9	1.9			
		123	59.9	5.3	112	65.4	5.6	235	62.5	3.9			

*1 D00、上皮内、診断時年齢100歳以上、第2がんに降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

大分県

2015年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
結腸	C18	限局	152	92.6	4.1	135	91.3	4.4	287	93.3	3.0		
		リ転	43	72.2	8.5	48	82.9	8.2	91	78.4	5.9		
		隣接	22	40.6	11.6	28	38.8	10.6	50	39.9	7.9		
		遠隔	53	11.5	4.9	70	13.9	4.3	123	12.9	3.3		
		不明	34	36.1	10.1	34	33.2	9.0	68	36.2	6.8		
		合計	304	68.1	3.5	315	62.5	3.4	619	65.3	2.4		
領域		65	61.8	7.1	76	67.4	7.0	141	64.8	5.0			
直腸	C19-C20	限局	84	97.2	4.3	51	86.2	6.3	135	95.8	3.6		
		リ転	40	62.3	9.4	19	77.7	10.9	59	67.6	7.4		
		隣接	18	46.2	13.6	17	39.1	14.7	35	42.8	10.0		
		遠隔	42	16.6	6.3	18	12.1	8.2	60	15.3	5.0		
		不明	30	38.7	10.0	18	53.9	13.9	48	46.2	8.2		
		合計	214	64.3	4.0	123	64.2	5.0	337	64.3	3.1		
領域		58	57.6	7.8	36	61.3	9.7	94	59.0	6.1			
肝および肝内胆管	C22	限局	178	68.1	4.6	84	40.7	6.1	262	59.2	3.7		
		リ転	4	0.0	0.0	2	0.0	0.0	6	0.0	0.0		
		隣接	26	4.3	4.7	13	17.1	11.7	39	8.6	5.1		
		遠隔	26	4.5	4.7	11	0.0	0.0	37	3.0	3.3		
		不明	56	20.1	6.1	44	15.8	6.1	100	18.3	4.4		
		合計	290	46.6	3.5	154	28.4	4.1	444	40.2	2.7		
領域		30	3.9	3.9	15	14.9	10.3	45	7.7	4.4			
胆のう・胆管	C23-C24	限局	25	42.7	12.3	17	57.8	13.4	42	49.9	9.2		
		リ転	6	0.0	0.0	7	30.9	20.5	13	17.3	11.9		
		隣接	53	41.7	8.0	34	29.1	8.4	87	37.1	5.9		
		遠隔	31	7.1	5.1	30	3.5	3.5	61	5.4	3.1		
		不明	11	11.2	13.8	35	18.7	8.7	46	16.9	7.4		
		合計	126	29.7	4.7	123	25.2	4.4	249	27.5	3.2		
領域		59	37.4	7.4	41	29.8	7.8	100	34.6	5.4			
膵臓	C25	限局	11	50.0	17.2	18	36.0	12.1	29	41.6	10.0		
		リ転	6	36.6	23.7	1	0.0	0.0	7	31.2	20.9		
		隣接	61	22.4	5.8	59	15.4	5.1	120	19.0	3.9		
		遠隔	74	1.5	1.5	87	2.4	1.7	161	2.1	1.2		
		不明	13	8.3	8.0	25	4.9	4.9	38	6.2	4.3		
		合計	165	14.6	3.0	190	10.0	2.3	355	12.1	1.9		
領域		67	23.9	5.7	60	15.2	5.0	127	19.8	3.8			

*1 D00、上皮内、診断時年齢100歳以上、第2がんに降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

大分県

2015年

部位	ICD-10	進展度・総合				男女計					
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	
		男		女		男		女		男女計	
喉頭	C32	限局	32	76.7	11.0	1	0.0	0.0	33	76.7	11.0
		リ転	7	47.4	21.8	1	100.0	0.0	8	54.7	20.3
		隣接	5	21.4	19.5	0	-	-	5	21.4	19.5
		遠隔	3	0.0	0.0	1	0.0	0.0	4	0.0	0.0
		不明	2	51.5	39.7	0	-	-	2	51.5	39.7
		合計	49	66.3	9.1	3	34.8	29.8	52	64.6	8.8
領域	12	37.3	15.5	1	100.0	0.0	13	42.7	15.3		
肺	C33-C34	限局	234	75.9	3.9	149	94.8	3.6	383	83.5	2.8
		リ転	88	32.1	5.6	22	58.9	11.7	110	38.4	5.1
		隣接	67	35.9	6.7	18	35.9	12.2	85	35.9	5.9
		遠隔	240	7.7	1.9	78	19.2	4.9	318	10.5	1.9
		不明	76	11.2	4.4	55	12.8	5.1	131	12.0	3.3
		合計	705	36.7	2.1	322	57.4	3.2	1,027	43.3	1.8
領域	155	33.7	4.3	40	49.5	8.7	195	37.9	3.9		
皮膚	C43-C44	限局	132	93.1	5.7	100	94.7	6.2	232	94.1	4.2
		リ転	3	35.6	34.3	0	-	-	3	35.6	34.3
		隣接	6	56.1	27.1	7	46.2	21.4	13	54.3	17.0
		遠隔	4	0.0	0.0	1	0.0	0.0	5	0.0	0.0
		不明	9	27.1	18.1	5	74.1	34.3	14	48.3	18.3
		合計	154	87.7	5.5	113	90.7	6.0	267	89.7	4.0
領域	9	51.6	21.6	7	46.2	21.4	16	53.8	15.3		
乳房	C50	限局	2	0.0	0.0	439	99.7	1.1	441	99.4	1.1
		リ転	0	-	-	110	93.9	3.0	110	93.9	3.0
		隣接	2	0.0	0.0	36	67.3	8.9	38	63.7	8.8
		遠隔	1	0.0	0.0	36	38.5	8.6	37	38.0	8.5
		不明	0	-	-	79	67.1	5.9	79	67.1	5.9
		合計	5	0.0	0.0	700	91.4	1.4	705	90.8	1.4
領域	2	0.0	0.0	146	88.2	3.3	148	87.0	3.4		
子宮	C53-C55	限局	-	-	-	106	93.8	2.8	106	93.8	2.8
		リ転	-	-	-	6	83.8	15.5	6	83.8	15.5
		隣接	-	-	-	49	68.0	7.4	49	68.0	7.4
		遠隔	-	-	-	24	17.0	7.9	24	17.0	7.9
		不明	-	-	-	16	25.9	11.3	16	25.9	11.3
		合計	-	-	-	201	73.1	3.4	201	73.1	3.4
領域	-	-	-	55	69.9	6.8	55	69.9	6.8		

*1 D00、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

大分県

2015年

部位	ICD-10	進展度・総合			男			女			男女計			
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	
子宮頸部	C53	限局	-	-	-	32	97.2	3.1	32	97.2	3.1	32	97.2	3.1
		リ転	-	-	-	3	100.0	0.0	3	100.0	0.0	3	100.0	0.0
		隣接	-	-	-	33	69.5	9.1	33	69.5	9.1	33	69.5	9.1
		遠隔	-	-	-	8	0.0	0.0	8	0.0	0.0	8	0.0	0.0
		不明	-	-	-	8	25.2	15.5	8	25.2	15.5	8	25.2	15.5
		合計	-	-	-	84	70.8	5.3	84	70.8	5.3	84	70.8	5.3
領域	-	-	-	36	72.2	8.5	36	72.2	8.5	36	72.2	8.5		
子宮体部	C54	限局	-	-	-	74	92.0	3.7	74	92.0	3.7	74	92.0	3.7
		リ転	-	-	-	3	67.3	28.3	3	67.3	28.3	3	67.3	28.3
		隣接	-	-	-	16	63.9	12.5	16	63.9	12.5	16	63.9	12.5
		遠隔	-	-	-	15	27.2	11.8	15	27.2	11.8	15	27.2	11.8
		不明	-	-	-	8	26.2	16.5	8	26.2	16.5	8	26.2	16.5
		合計	-	-	-	116	75.3	4.3	116	75.3	4.3	116	75.3	4.3
領域	-	-	-	19	65.0	11.5	19	65.0	11.5	19	65.0	11.5		
卵巣	C56	限局	-	-	-	27	89.7	6.1	27	89.7	6.1	27	89.7	6.1
		リ転	-	-	-	0	-	-	0	-	-	0	-	
		隣接	-	-	-	43	69.5	7.4	43	69.5	7.4	43	69.5	7.4
		遠隔	-	-	-	13	15.9	10.4	13	15.9	10.4	13	15.9	10.4
		不明	-	-	-	15	21.4	11.1	15	21.4	11.1	15	21.4	11.1
		合計	-	-	-	98	61.1	5.1	98	61.1	5.1	98	61.1	5.1
領域	-	-	-	43	69.5	7.4	43	69.5	7.4	43	69.5	7.4		
前立腺	C61	限局	528	100.0	1.6	-	-	-	-	-	-	528	100.0	1.6
		リ転	6	100.0	0.0	-	-	-	-	-	-	6	100.0	0.0
		隣接	94	98.5	3.3	-	-	-	-	-	-	94	98.5	3.3
		遠隔	73	50.1	7.2	-	-	-	-	-	-	73	50.1	7.2
		不明	90	68.8	6.8	-	-	-	-	-	-	90	68.8	6.8
		合計	791	98.1	1.7	-	-	-	-	-	-	791	98.1	1.7
領域	100	99.0	3.2	-	-	-	-	-	-	100	99.0	3.2		
膀胱	C67	限局	91	88.1	6.1	29	70.3	11.0	120	85.9	5.4	120	85.9	5.4
		リ転	3	68.2	30.5	2	0.0	0.0	5	41.7	24.5	5	41.7	24.5
		隣接	12	18.9	12.4	4	28.3	30.7	16	21.8	11.9	16	21.8	11.9
		遠隔	6	17.7	18.2	1	0.0	0.0	7	15.2	15.9	7	15.2	15.9
		不明	14	44.2	18.0	8	64.7	19.9	22	53.6	13.8	22	53.6	13.8
		合計	126	75.7	5.6	44	63.6	9.1	170	72.5	4.8	170	72.5	4.8
領域	15	29.8	13.1	6	18.7	21.4	21	27.1	11.0	21	27.1	11.0		

*1 D00、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

大分県

2015年

部位	ICD-10	進展度・総合				男				女				男女計			
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	
腎・尿路(膀胱除く)	C64-C66 C68	限局	98	92.6	4.6	54	92.2	5.4	152	93.2	3.5						
		リ転	4	53.3	29.9	1	0.0	0.0	5	47.1	28.2						
		隣接	29	75.5	11.6	19	36.1	12.2	48	61.7	8.9						
		遠隔	28	4.0	3.9	8	27.3	20.5	36	9.7	5.7						
		不明	11	0.0	0.0	7	15.8	15.0	18	6.7	6.6						
合計	170	70.9	4.5	89	70.2	5.9	259	70.6	3.6								
領域		33	73.6	10.8	20	35.2	12.0	53	60.8	8.5							
脳・中枢神経系	C70-C72	限局	18	35.6	11.9	14	36.7	13.3	32	36.2	8.8						
		リ転	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0						
		隣接	7	0.0	0.0	4	0.0	0.0	11	0.0	0.0						
		遠隔	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0						
		不明	9	45.1	18.0	10	31.2	15.1	19	38.1	11.8						
合計	34	31.3	8.3	28	29.6	8.9	62	30.6	6.1								
領域		7	0.0	0.0	4	0.0	0.0	11	0.0	0.0							
甲状腺	C73	限局	4	75.8	22.9	14	94.0	7.2	18	90.8	7.8						
		リ転	2	100.0	0.0	9	100.0	0.0	11	100.0	0.0						
		隣接	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0						
		遠隔	3	34.7	33.6	4	25.6	22.4	7	30.1	19.2						
		不明	3	35.8	29.4	10	43.2	17.7	13	41.6	15.3						
合計	12	60.9	15.9	37	79.2	7.9	49	75.8	7.2								
領域		2	100.0	0.0	9	100.0	0.0	11	100.0	0.0							
悪性リンパ腫	C81-C85 C96	限局	36	85.6	7.8	32	73.0	8.9	68	80.2	6.0						
		リ転	2	0.0	0.0	2	0.0	0.0	4	0.0	0.0						
		隣接	23	82.4	9.8	23	80.3	10.0	46	84.5	7.0						
		遠隔	76	62.3	6.8	70	57.4	6.7	146	59.9	4.8						
		不明	27	63.5	11.2	34	40.6	9.0	61	51.9	7.2						
合計	165	71.0	4.4	166	59.0	4.3	331	64.9	3.1								
領域		25	75.9	10.2	25	74.2	10.2	50	77.9	7.2							
多発性骨髄腫	C88-C90	限局	-	-	-	-	-	-	-	-	-						
		リ転	-	-	-	-	-	-	-	-	-						
		隣接	-	-	-	-	-	-	-	-	-						
		遠隔	-	-	-	-	-	-	-	-	-						
		不明	-	-	-	-	-	-	-	-	-						
合計	-	-	-	-	-	-	-	-	-								
領域		-	-	-	-	-	-	-	-	-							

*1 D00、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤

表13. 5年相対生存率(%) : 主要部位別、性別、進展度・総合別

大分県

2015年

部位	ICD-10	進展度・総合			男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
白血病	C91-C95	-	-	-	-	-	-	-	-	-	-	-	-
	限局	-	-	-	-	-	-	-	-	-	-	-	-
	リ転	-	-	-	-	-	-	-	-	-	-	-	-
	隣接	-	-	-	-	-	-	-	-	-	-	-	-
	遠隔	-	-	-	-	-	-	-	-	-	-	-	-
	不明	-	-	-	-	-	-	-	-	-	-	-	-
	合計	-	-	-	-	-	-	-	-	-	-	-	-
	領域	-	-	-	-	-	-	-	-	-	-	-	-

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

リ転：領域リンパ節転移、隣接：隣接臓器浸潤、遠隔：遠隔転移、領域：領域リンパ節転移＋隣接臓器浸潤